



FOSHAN HK BUILDING MATERIAL COMPANY

garage door catalog

One-stop solution for your Self-built houses or construction projects

Save your time, Save your cost!



Coco Qiu

Sales Manager/+86 15918090620



Foshan HK Building material co.,ltd

Longjiang town, Foshan city, Guangdong province, China

cocoqiu@hkbuildingmaterial.com

cocoqiu1987@126.com

www.hkbuildingmaterial.com

86+757-28821990

+86 15918090620



One stop solution of building material and furniture

Save your time & Save your cost

Main products :

- Roof sheet
- Ceiling
- Window
- All kinds of Door
- Railing,
- Toilet
- vanity
- sanitary
- lihgtings
- Tile
- Kitchen cabinet
- furniture
- etc

Sierra Leone Branch :

Main Peninsula Road, Adonkia Second Pumn (Close to the police station, Freetown, Sierra Leone)

目录 Directory

翻板车库门、快速门、工业门部分

门板款式及类型	001
Door styles and types	
防夹手翻板车库门	006
Clamp-proof hand over garage door	
欧式翻板车库门	009
European-style flip - over garage door	
不锈钢翻板车库门及车库门库存颜色	011
Stainless steel flip - over garage door and garage door stock color	
铝合金车库门	013
Garage door aluminum alloy	
4S店透视门	019
4S perspective gate	
快速门	023
Fast door	
工业门(大背筋、小背筋)	027
Industrial door (large back muscle, small back muscle)	
安装图、电机、配件	029
Installation diagram, motor, fittings	

水晶折叠门、车厢门、卷帘门、窗部分

水晶折叠门安装实景	033
Crystal folding door installation	
卷帘门安装实景	035
Real rolling door installation	
车厢门安装实景	042
Fire engine door installation	
卷帘窗安装实景	043
Shutter windows installation map	
工业卷帘门及电机	045
Industrial doors and motor	
卷帘门窗库存款式、颜色及配件	047
Shutter doors and Windows inventory style, color and accessories	
铝合金单层冲孔系列	051
Aluminum alloy single-layer punching series	
铝合金通花闸系列	053
Aluminum alloy valve gate series	
水晶门、铝合金单层冲孔卷帘门、铝合金通花闸安装实景	050
Crystal door, aluminum alloy single-layer punched shutter door	

钢质翻板车库门部分

Steel plate tilting garage door parts

门板结构

The door structure




板面款型

The door structure




板面款型

The door structure



木纹浮雕表面

Grain relief surface



钢质翻板车库门安装实景

Steel plate tilting garage door installation map




从无到有，从有到优，从优到创新开发，与朋友们一路走来；从珠三角到泛珠三角，再到祖国的大江南北；从中国到东南亚，到欧洲、美洲、非洲的大大小小的楼盘别墅区，鑫广大牌车库门大放异彩，成为小区里一道靓丽的风景线，好的产品，来自先进的设备，优质的原材料，严谨苛刻的质量管理体系。做世界上最好的门，做您最可信赖的朋友，我们能//

From no to have, from have to excellent, from excellent to innovation development, and friends along the way. From the pearl river delta to the pan-pearl river delta, then to the motherland great river north and south. From China to southeast Asia, Europe, America, Africa's greatly small building villas, XINGUANGDA brand garage door brilliantly, become the community together bright scenery, good product, from advanced equipment, high-quality raw materials, rigorous strict quality management system. Do the world's best door, make you most trusted friend, we can //

钢质翻板车库门安装实景

Steel plate tilting garage door installation map



★根据客户需求，在车库门上除了可以安装透视窗之外，还可安装小门，方便出入。

★ According to the customer demand, in the garage door window on besides can install perspective outside, still can install small doors, convenient access.



尊贵型车库门

★超大花型(300mm*1100mm)
极限设计
从此只享尊贵
不再平凡

★Large flower type (300mm*1100mm)
Limit design
Since then only enjoy *exclusive*
no longer ordinary

钢质翻板车库门安装实景

Steel plate tilting garage door installation map



★防夹手翻板车库门安装实例

★The anti pinch hand plate garage door installation drawings



★防夹手翻板车库门门板的接口处，安全有保障

★Anti junction clamp handspring garage door, safety has safeguard

★采用欧洲安全标准生产的防夹手车库门，再也不用担心会伤到她的手了

★The European safety standard production hand clamping prevention garage door, also need not worry again hurt her hand

钢质翻板车库门安装实景

Steel plate tilting garage door installation map



★翻板车库门工程案例 ★Flip - over garage door engineering case



★翻板车库门以其经典时尚的豪华外观，科学合理的材质结构，方便快捷的人性化操作等特点，在车库门家族中畅销几十年，独领风骚。

★Flip - over garage door with its classic stylish luxury Appearance, scientific and reasonable material structure, convenientFast humanized operation and other features in the garage doorThe family has been selling well for decades, leading the pack.

钢质翻板车库门安装实景


Steel plate tilting garage door installation map



★因印刷误差，实际颜色以工厂实物为准 ★Because of the actual color printing error, to the factory to prevail in kind

欧式翻板车库门安装实景

European-style flip - over garage door installation real scene



★ 欧式翻板车库门工程案例 ★ European-style flip - over garage door engineering case



★ 欧式翻板车库门正反面采用优质板材，中间聚氨酯发泡，具有良好的防腐、遮风挡雨、隔音等性能，别具一格的外观，款式新颖，广泛用于典雅、豪华的别墅

★ The front and back of the garage door is made of high quality board, with polyurethane foaming in the middle. Unique appearance, novel style, it is widely used in elegant and luxurious villas

欧式翻板车库门安装实景

European-style flip - over garage door installation real scene



★ 欧式翻板车库门工程案例 ★ European-style flip - over garage door engineering case



★ 欧式翻板车库门门体典雅的设计，受到更多客户的选择

★ European-style flip - over garage door elegant design, more customers to choose

不锈钢翻板车库门安装实景

Stainless steel flip - over garage door installation scene



不锈钢翻板车库门以时尚、优质为设计理念，精选进口不锈钢板压制而成，中心填充聚氨酯发泡，集不锈钢门和普通彩钢板车库门的优点于一体，时尚高贵、表面细腻、质感浑厚，具有较强的防腐、防锈功能，款式新颖大方，广泛用于各种高雅、时尚、豪华的别墅，效果高贵典雅，是尊贵风格的理想选择。

stainless steel flap garage door with vogue, high quality as the design concept, selected imports of stainless steel plate suppression and become, center, set a polyurethane foam filled steel door and ordinary choi steel garage door advantages at an organic whole, fashionable nobility, the surface is exquisite, simple sense is thick. It has stronger anticorrosive, antirust function, novel style and generous, widely used in all kinds of elegant, fashionable and luxurious villas, effect nobility elegance, is honourable style of choice.

钢质翻板车库门库存颜色分类

Steel plate tilting garage door inventory classification of color



★因印刷误差，实际颜色以工厂实物为准 ★Because of the actual color printing error, to the factory to prevail in kind

不锈钢翻板车库门安装实景

Stainless steel flip - over garage door installation scene




★翻板车库门以其经典时尚的豪华外观、科学合理的材质结构、方便快捷的人性化操作等特点，在车库门家族中畅销几十年，独领风骚。

★Turning to the classical fashion garage door luxury appearance, reasonable structure, convenient operation, etc. In the garage door in the family sold for decades, clueless.

钢质翻板车库门透视窗款式

Steel plate tilting garage door window style perspective



铝合金车库门安装实景

Aluminum alloy garage door installation scene



铝合金翻板车库门采用高档铝合金型材制作，色彩绚丽，造型美观，结构严谨，铝材表面可以选择静电粉末喷涂木纹、银白、拉丝金等，表面细腻手感平滑，色彩温润不褪色，涂层坚固不脱落，具有良好的防腐、防锈性能，款式新颖大方，广泛用于各种高雅、豪华别墅，效果清新典雅，是尊贵、淡雅风格的首选。

aluminum alloy flap garage door USES high-grade aluminium alloy profile production, flowery colour, modelling beautiful, structured and aluminium surface can choose electrostatic powder spraying mu wen, silvery white, gold etc, the surface is exquisite drawing feel smooth, color jade do not fade, coating fenced off, has the good anticorrosive, antirust properties, novel style and generous, widely used in all kinds of decorous, the luxurious villa, the effect is pure and fresh and elegant, is honourable, quietly elegant style of choice.

铝合金车库门安装效果

Aluminum alloy garage door installation effect



★ 铝合金翻板车库门工程案例 ★ Aluminum alloy flip-over garage door engineering case



铝合金车库门安装效果

Aluminum alloy garage door installation effect



★ 铝合金翻板车库门可开透视窗，透光

★ Aluminum alloy upturned garage door can open perspective window, light transmission




★ 铝合金翻板车库门
门体效果图

★ Aluminum alloy plate tilting
garage door body effect chart

铝合金车库门安装实景

Aluminum alloy garage door installation scene



铝合金翻板车库门采用高档铝合金型材制作，色彩绚丽，造型美观，结构严谨，铝材表面可以选择静电粉末喷涂木纹、银白、拉丝金等，表面细腻手感平滑，色彩温润不褪色，涂层坚固不脱落，具有良好的防腐、防锈性能。

aluminum alloy flap garage door USES highgrade aluminium alloy profile production, flowery colour, modelling beautiful, structured and aluminium surface can choose electrostatic powder spraying mu wen, silvery white, gold etc, the surface is exquisite drawing feel smooth, color jade do not fade, coating fenced off, has the good anticorrosive, antirust properties



铝合金车库门库存颜色分类

Aluminum alloy garage door inventory color classification



★经典型 电泳香槟
★Electrophoresis of champagne



★经典型 黄木纹色
★Yellow wood grain color



★清秀型 电泳香槟金边
★Electrophoretic champagne gold rim




★清秀型 电泳银白香槟边
★Electrophoretic silver white champagne



★豪华型 喷涂白色
★Spraying white



★豪华型 红木纹色
★Red wood grain color



★尊贵型 电泳银白
★Electrophoresis silvery white



★尊贵型 电泳紫铜色
★Electrophoretic bronze



★尊贵型 拉丝铜色
★Antique brass wire drawing



★尊贵型 红木纹色
★Red wood grain color



★尊贵型 透视福
★The perspective window



★尊贵型 金格花窗
★The perspective window

★因印刷误差，实际颜色以工厂实物为准 ★Because of the actual color printing error, to the factory to prevail in kind

全景式铝合金透视门

Aluminium alloy door panoramic perspective



★ 铝合金透视门在汽车4S店的安装应用

★ Install the application perspective of first generation aluminum alloy door in the Volkswagen 4S shop



★ 工业门标配安全气囊，门体下滑时遇到障碍物及时自动反向开启，确保人及物的安全

★ Industrial door standard airbags, door body fell encountered obstacles in time automatic reverse opening, ensure human and physical security



★ 门板间隐藏接口设计，防夹手安全标准与美观要求的完美结合

★ Interface design between the hidden door, preventing the perfect combination of clamps the hand safety standards and aesthetic requirements

全景式铝合金透视门

Aluminium alloy door panoramic perspective



★ 可调底端支架，再也不用为了松紧一下钢丝绳而把整套门的扭簧松掉，拧拧螺丝，轻松搞定

★ Adjustable bottom supporter, in order to no longer have a wire rope and the elastic torsion spring loose set of doors, screw, easily



★ 铝合金透视门在捷豹4S店的安装应用

★ Install the application of aluminum alloy doors in perspective of Jaguar 4S shop



★ 铝合金透视门在大众4S店的安装应用

★ Installation and application of aluminum alloy perspective door in Volkswagen 4S shop

全景式铝合金透视门

Aluminium alloy door panoramic perspective



★ 铝合金透视门在福特4S店的安装实例
★ Installation of aluminum alloy doors Ford perspective in 4S shop




★ 门体加强型大背筋设计，确保大型透视门在提升及上翻时都能平稳运行，不变形，经久耐用。The door body reinforced back ribs design, ensure the large Xray in hoisting and over time can run smoothly, no deformation, Durable

★ 铝合金透视车库门（玻璃/胶片），采用高硬度加厚铝镁合金制作，可安装高强度透明钢化玻璃或高强度透明胶片材料，不易变形、黄变，具有较好的采光效果，型材表面经过静电粉末喷涂或阳极着色，电泳等工艺处理，坚固耐用，富贵典雅。是高档别墅车库、商业展示中心、品牌专卖店门户的最佳选择。

★ Aluminum alloy perspective garage door (glass/film), using high hardness thickening aluminium magnesium alloy production, can install high strength transparent toughened glass or high strength transparent film materials, not changeful form, color changing, and has good daylighting effect, the material surface through electrostatic powder spraying or anodes shading, electrophoresis such processing durable, riches and honor are elegant. It is a high grade villa garage, commercial exhibition centre, brand stores portal best choice.

全景式铝合金透视门

Aluminium alloy door panoramic perspective



★ 铝合金透视门不同颜色的定制, 给您一道道不同的风景线
★ Industrial perspective door with different colors customized for you Different landscapes




★ 绿色铝合金透视门效果图

★ Green aluminum alloy perspective door effect drawing

快速门安装实景

Fast door installation map



★快速门主要功能是保温、保湿、防尘、防虫、隔音等，使车间保持恒温、恒湿、洁净的工作环境。适用于食品、医药、电子、橡胶、化工、汽车、纺织、物流等领域。

★The main function of fast door is insulation, moisture, dust, pest control, sound insulation, the workshop to keep constant temperature and humidity, clean working environment. Apply to food, medicine, electronics, rubber, chemical, automotive, textile, logistics and other fields.



★快速门在医药、化工领域的安装实例

★Examples of installation fast door in the pharmaceutical, chemical industry



快速门安装实景

Fast door installation map



★黄色
★Yellow



★深蓝色
★Navy Blue



★红色
★red



★浅蓝色
★Light blue



★橙色
★Orange




★冰灰色
★gray

★快速门是通过PLC、变频器、编码器控制（PVC材质）门帘快速升降，是专为物料的快速流动（以缩短进出时间）而设计的。具有快速、安全、可靠等特点。

★Fast gate is controlled by PLC, inverter, encoder (PVC material) quick lifting curtain is designed for the rapid flow of material, to shorten the in and out of time. Has the characteristics of fast, safe, reliable and so on.



★快速门电机
★Fast door electrical Appliances



★快速门毛刷
★Fast door brush

★快速门在展会安装实例

★Fast door installation example in the exhibition

硬质快速门安装实景

Hard quick door mounting with real view



★ 滚筒式硬质快速门在停车场门口的安装 ★ Drum hard fast door installed in the parking lot



★ 红外线光电保护
★ Infrared photoelectric protection



★ 雷达感应开门
★ Radar induction door

★ 滚筒式硬质快速门—集快速、节能、密封、高效、抗风、环保于一身的新型金属工业门，开启速度每秒最高可达1.2米，适用于需要频繁高速的物流通道。该门密封性好，减少空气流通。门板采用全铝合金材质，厚度15mm制作更加精巧，占用空间小。

★ Roller rigid quick door - a new type of metal door that integrates fast, energy-saving, door seal, high efficiency, wind resistance and environmental protection Up to 1.2 m, suitable for frequent and high speed logistics channels. The door has good sealing and reduces air circulation. The door panel is made of all-aluminum alloy. The 15mm thickness is more exquisite and takes up less space.

硬质快速门安装实景

Hard quick door mounting with real view



★ 螺旋式硬质快速门—集保温、节能、密封、高效、抗风、环保于一身的新型金属工业门，门体采用43厚断桥式铝合金保温材料，宝钢无花镀锌板体框架，铝合金双螺旋涡轮导轨，门体可开透视窗。

★ Spiral rigid fast door -- a new type of metal industrial door that integrates heat preservation, energy saving, sealing, high efficiency, wind resistance and environmental protection Bridge type aluminum alloy insulation material, baosteel without painted galvanized sheet body frame, aluminum alloy double helix turbine guide rail, door body can open perspective window.



★ POWEVER高效能伺服电机
运行速度均可调
★ POWEVER high efficiency servo motor The running speed is adjustable



★ POWEVER伺服控制系统
均可实现双门互锁功能
★ POWEVER servo control system Both can achieve double door interlock function

钢质消防门、工业门安装实景

Steel fire door, industrial door installation map



★消防工业门适用于厂房、仓库。门板外层为金属彩钢板，中间填充聚氨酯发泡，从而降低了门板自重，提高保温质量，使门体上下运行更平稳。门体上可安装透视窗口。

★The industrial lifting door is suitable for workshop and warehouse. The outer layer of the door plate is metal colored steel plate, and the middle is filled with polyurethane foaming, which reduces the weight of the door plate. Improve the insulation quality, so that the door body up and down more stable operation. The perspective window can be installed on the door body.




★工业垂直提升门鑫广大牌工业提升门均按照国际标准制造，多年的生产安装经验使鑫广大产品体现出卓越的安全可靠性。

★The industrial vertical lifting doors are manufactured in accordance with the international standards. The years of experience in production and installation have made the products of xinxi show excellent safety and reliability.

钢质消防门、工业门安装实景

Steel fire door, industrial door installation map



★工业垂直提升门鑫广大牌工业提升门标配安全气囊、防坠落装置，能确保门体平稳、安全的上下运行，防止意外事故的发生。


★Industrial vertical lifting door XGD broad brand industrial lifting door-Standard with airbag, anti-falling device, to ensure the door body-Smooth and safe running up and down to prevent accidents happen



★鑫广大牌大背筋工业门，门板特加强型大背筋高80cm，美观大气，最宽可做12m，是大型企业厂房、仓库、双车位大车库、消防大门的理想选择。

★Xinguang major suit large dorsal ribs industrial doors, door reinforced type large dorsal rib height 85CM, beautiful atmosphere, the most wide used 12M, is Enterprise workshop, warehouse, garage doors, fire double parking ideal.

The flap garage door installation drawing



- 品质卓越、功能完备，停电锁门、行程记忆、故障自检……功能应有尽有。

- 门体在任意开启位置停电，关门都可实现自锁，让您再也不用为停电无法锁门而担忧。


The door in any open position blackout, close the door can realize locking, let you no longer for power cuts can't lock the door worrying.

公司设计开发的车库门电机控制系统，集成了无线遥控、电子行程、安全保护等功能于一体，具有安装简单、设定快捷、使用方便等特点，广泛用于遥控车库门开门驱动系统。

Company, design and development of the garage door, integrated motor control system for wireless remote control electronic schedule, safety protection function, With simple installation, configuration quick, convenient use, etc. Widely used in remote garage door opening drive system.



德国锐玛开门机



工业门开门机系列

Industrial door open the door machine




- ★工业门轴驱式电机安装方便，占用空间小，运行平稳。
- ★The Industrial door hinges flooding type electrical engineering convenient installation, take up the space is little, smooth operation.

- ★驱动减速，线性驱动调节，全程螺纹调节，铁铜粉末合金含油轴承，光电控制器。适用于垂直工业提升门
- ★Drive deceleration, linear actuation adjustment, the entire thread regulation, Iron copper powder alloy oilretaining bearing, Photo-electronic controller. Applicable for vertical industrial promote the door.

工业门安装示意图

Industrial door installation diagram



车库门配件系列

The flap garage door fitting series



- ★车库门铝合金配件
- ★The flap garage door aluminum alloy parts



- ★车库门不锈钢配件
- ★The flap garage door stainless steel fittings



- ★车库门镀锌、喷涂配件
- ★The flap garage door galvanized, spray accessories

品种齐全的车库门、工业门五金配件，为每一套门的完美设计和安全稳定运行提供了可靠的保证。
Variety of garage doors, hardware accessories, industrial door for each set of door of the safe and stable operation of the perfect design, and provides the reliable guarantee.

铝合金水晶折叠门安装实景

Aluminum alloy crystal folding door installation real scene



铝合金水晶折叠门采用高档铝合金型材和高强度PC板制作，造型美观，结构严谨，坚固可靠 安全实用，可推移到侧边，占空间较少，已广泛用于办公、厂房间及超大场所区域的保温、防虫、防尘、遮蔽隔离的应用
The aluminum alloy crystal folding door is made of high grade aluminum alloy profile and high strength PC board, Can be pushed to the side, less space. It has been widely used in office, workshop and large area for insulation, insect, dust, shelter and isolation

★细节展示
★The details show



★因印刷误差，实际颜色以工厂实物为准 ★Because of the actual color printing error, to the factory to prevail in kind

铝合金水晶折叠门安装实景

Aluminum alloy crystal folding door installation real scene



★铝合金折叠门在各商场的安装实例
★Examples of aluminum alloy folding doors installed in various shopping malls



卷帘门部分

Rolling shutter door parts

铝合金卷帘门采用优质的铝合金精制而成。

公司经过多年科技攻关，有其独特的铝合金配方，卷门型材的软硬度、柔性及弹性已达到了国内铝业技术的制高点。表面采用粉末静电喷涂，热转印木纹，电泳，阳极着色氧化等先进工艺，色泽鲜美，不褪色，不起层，不黄变，经久耐用，充分体现主人尊贵品位，使建筑物锦上添花，更显豪华气派。

铝合金卷门生产工艺严谨，消声条和封口码均选用优质的原生胶制作，更静音，更润滑，更美观，确保无后顾之忧。

aluminium alloy door with the use of high quality aluminum alloy and refined.

aluminum compound after years of torch-plan, has its unique alloy formula, rolling door profiles of hardness, flexibility and elasticity has reached domestic aluminum technology the commanding heights. The surface of powder electrostatic spraying, sublimation mu wen, electrophoresis, anodic oxidation of advanced technology, and coloring colour and lustre is delicious, do not fade, afford stories, not yellow to become, durable, fully reflect master grade, make buildings honourable collaborately, more show luxurious style.

aluminium alloy door production craft is rigorous, silencing bar and sealing yards are select high-quality primary glue production, quieter, more lubrication and more beautiful, ensure worry-free.

铝合金卷帘门

Aluminum rolling gates



铝合金卷门采用优质的铝合金精制而成。

公司经过多年科技攻关，有其独特的铝合金配方，卷门型材的软硬度、柔性及弹性已达到了国内铝业技术的制高点。表面采用粉末静电喷涂，热转印木纹，电泳，阳极着色氧化等先进工艺，色泽鲜美，不褪色，不起层，不黄变，经久耐用，充分体现主人尊贵品位，使建筑物锦上添花，更显豪华气派。

铝合金卷门生产工艺严谨，消声条和封口码均选用优质的原生胶制作，更静音，更润滑，更美观，确保无后顾之忧。

铝合金卷帘门

Aluminum rolling gates



aluminium alloy door with the use of high quality aluminum alloy and refined.

company after years of torch-plan, has its unique alloy formula, rolling door profiles of hardness, flexibility and elasticity has reached domestic aluminum technology the commanding heights. The surface of powder electrostatic spraying, sublimation mu wen, electro-phoresis, anodic oxidation of advanced technology, and coloring colour and lustre is delicious, do not fade, afford stories, not yellow to become, durable, fully reflect master grade, make buildings honourable collaborately, more show luxurious style.

aluminium alloy door production craft is rigorous, silencing bar and sealing yards are select high-quality primary glue production, quieter, more lubrication and more beautiful, ensure worry-free.

铝合金卷帘门

Aluminum rolling gates



★ 铝合金卷帘车库门在广州保利城安装案例
★ Aluminum alloy shutter garage door in Guangzhou poly City installation case



★ 铝合金卷帘门可根据客户要求定制不同颜色，靓丽的颜色，给您不一样的视觉感受
★ Aluminum alloy shutter doors can be customized according to customer requirements for different colors, beautiful colors, to give you different visual experience

铝合金卷帘门

Aluminum rolling gates





自主研发卷帘门窗型材及配件，设计科学、制作精良，确保启动快捷、安全，外观典雅、精致。

Independently researched and developed the profile materials and accessories of shutter doors and Windows, which are scientific in design and excellent in production to ensure quick and safe start-up, elegant in appearance and exquisite in appearance.

★ 开启方式有手动、电动、遥控、手电两用等类型。电动状态下可选配红外线和遇阻反弹功能，确保安全，增加门体和电机的使用寿命。

★ Open mode and manual and electric control, flashlight amphibious type etc. Electric condition optional infrared and blocked rebound, and ensure the safety functions, door and motor using life.



铝合金卷帘门是传统闸门的换代产品，广泛用于住宅、车库、商场、仓库等场所。

aluminum alloy doors is the replacement of traditional gate, is widely used in the house, a garage, a shopping mall, warehouse etc.

铝合金卷帘门

Aluminum rolling gates

不同的颜色搭配，清爽别致。
Different color is tie-in, relaxed and chic.



★蓝色和白色搭配效果。
★Blue and white collocation effect.



★绿色和白色搭配效果。
★Green and white collocation effect.

铝合金车厢门

Aluminium alloy door



★消防车卷帘门即消防车厢门，安装简单，外观美观，开闭轻巧，占用空间小，广泛用于消防车、救援车等
★Fire truck rolling curtain door is the fire car door, simple installation, beautiful appearance, light account, small space occupied, widely used in fire truck, rescue vehicle and so on



★消防车车厢门采用表面特殊处理的铝材，导轨两侧有防水密封胶条，具有防水、防尘和防震功能。
★Fire compartment doors adopt surface special treatment of aluminum, guide rail on both sides Waterproof sealing tape with waterproof, Dustproof and shockproof.

卷帘窗部分

Shutter windows series



★ 铝合金卷帘窗在潮湿环境下的应用，防潮、防锈良好。

★ Aluminum alloy shutter Windows in damp environment application, moisture, rust is good.



★ 铝合金卷帘窗防紫外线效果显著。

★ Aluminum alloy shutter Windows ultraviolet prevention effect is remarkable.



★ 卷帘窗手动皮带传动系统。

★ Shutter Windows manual conveyor belt transmission system.

卷帘窗部分

Shutter windows series



★ 铝合金卷帘窗在房屋底层具有良好的封闭、防护性能。

★ Aluminum alloy shutter Windows in building ground floor with good sealing, protective performance.



★ 铝合金卷帘窗在国际会展中备受青睐。

★ Aluminum alloy shutter Windows in international exhibition is favour.

铝合金工业卷帘门部分 Aluminum industrial doors series



★ 铝合金卷帘门广泛应用于厂矿企业的车间、货场、车库。方便快捷的启闭方式，极大地节约了劳动时间，提高劳动效率。

★ Aluminum alloy doors is widely applied in the workshop, factories and loading bays, garage. Convenient open mode, greatly saves time and improve labor efficiency.

卷帘门（窗）电机部分 Screens doors (Windows) motor series

★ 卷闸电机

该电机分为普通卷闸电机、储备电源、交直流卷闸电机。
The motor is divided into general door motor, ac/dc power supply, reserve rolling door motor.



• 鑫广大电机 Xinguangda motor



• 东荣电机 Dongrong motor



• 巨光电机 Juguang motor

★ 内置式手电两用管状电机

该电机可实现停电状态下手动开门的功能。手动系统能够满足门体在任何状态下停电时开启与关闭。
The motor power condition can realize the function of manual door. Manual system can satisfy the door in any condition when the power is opened and closed.



• 手动离合式
Manual clutch type



• 手动摇杆式
Manual regulating lever type



★ 遥控式智能窗机

该电机为卷帘窗专用电机，安全、噪音低，方便快捷。
The motor for electric vehicles, safety window shade, low noise, convenient and quick.



★ 直流储备电源管状电机
Dc reserve power tubular motor

控制附件 Control accessories



红外线对射控制器
Infrared DuiShe controller



遥控器
Remote control



墙壁开关
Wall switch



储备电源
Reserve power

★ 红外线对射控制器，具有超强的敏感度，工作性能稳定，无误动作，在一秒内作出快速反应发出指令信息，使卷帘门下落时遇阻停止或反向动作。具有1-10米对射控制范围。


★ Infrared DuiShe controller, it has strong sensitivity, stability, work in a correct action, respond quick seconds, instruction book door whereabouts blocked or stop. Have 1-10 meters DuiShe control.

铝合金卷帘门、窗片系列（库存）


Aluminum alloy doors and Windows series (inventory)




★xgd80#二筋0.8
浅砂米黄
Shallow sand cream-colored



★xgd80#二筋0.8
亮光黄
Light Smooth yellow




★xgd80#二筋0.8
哑光白
Matte white



★xgd80#二筋0.8
砂纹绿
Sand grain green




★xgd80#二筋1.0
浅砂米黄
Shallow sand cream-colored




★xgd80#二筋1.0
亮光黄
Light Smooth yellow



★xgd80#二筋1.0
哑光白
Matte white




★xgd90#四筋1.0
电泳银白
Electrophoresis silvery white



★xgd80#二筋1.0
电泳香槟
Electrophoresis champagne



★xgd80#二筋1.2
浅砂米黄
Shallow sand cream-colored



★xgd80#三筋0.8
亮光黄
Light Smooth yellow




★xgd80#三筋0.8
浅砂米黄
Shallow sand cream-colored



★xgd80#三筋1.0
哑光白
Matte white



★xgd80#三筋1.0
浅砂米黄
Shallow sand cream-colored




★xgd80#三筋1.0
亮光蓝
Light Smooth blue

铝合金卷帘门、窗片系列（库存）


Aluminum alloy doors and Windows series (inventory)




★xgd80#三筋1.2
浅砂米黄
Shallow sand cream-colored




★xgd80#三筋1.2
亮光黄
Light Smooth yellow



★xgd80#二筋
红木纹
Red wood grain



★xgd90#五筋1.0
仿钢抛光
Imitation polished steel



★xgd90#五筋0.7
电泳香槟
Electrophoresis champagne



★xgd55#单筋
哑光白
Matte white



★xgd50#单筋0.7
浅砂米黄
Shallow sand cream-colored



★xgd37#窗单筋1.0
蛋清白
Egg white

卷帘门片系列（可选订部分）

Alloy doors and Windows series (Optional part order)




★xgd80#二筋
浅红木纹
Light color red wood grain



★xgd80#二筋
黄木纹
Yellow wood grain



★xgd80#二筋
浅橙色
Light orange




★xgd80#四筋1.0
拉丝金
Aureate tensile filaments



★xgd80#二筋
黑色
Black



★xgd80#二筋
灰色
Gray



★xgd100#三筋1.2
深绿色
Dark green



★xgd100#三筋1.2
砂纹白
Sand grain white




★xgd77#双层保温
彩钢颗粒白
Color steel particle white

xgd导槽、底梁系列


xgd guide groove, the beam series




★xgd60#导槽
37#窗片专用
颜色: 蛋清白
Egg white



★xgd80#导槽-1.7
50#门片专用
颜色: 浅砂米黄
Shallow sand cream-colored



★xgd90#导槽-1.5
80#-0.8门片专用
颜色: 浅砂绿
Sand grain green



★xgd90#导槽-1.5 (2.2)
80#/100#门片专用
颜色: 浅砂米黄
Shallow sand cream-colored




★xgd90#导槽-1.5 (2.2)
80#/100#门片专用
颜色: 哑光白
Matte white




★xgd90#导槽-1.5 (2.2)
80#/100#门片专用
颜色: 亮光黄
Light Smooth yellow




★xgd90#导槽-2.2
通花闸、水晶闸专用
颜色: 高档喷砂银白
Gush arenaceous silver white



★xgd90#导槽-2.2
80#/100#门片专用
颜色: 电泳银白
Electrophoresis silvery white



★xgd90#导槽-2.2
80#/100#门片专用
颜色: 电泳香槟
Electrophoresis champagne




★xgd100#盖板导槽
80#/100#门片专用
颜色: 浅砂米黄
Shallow sand cream-colored



★xgd70#导槽
80#/100#门片专用
颜色: 浅砂米黄
Shallow sand cream-colored




★xgd90#密封导槽
80#/100#门片专用
颜色: 浅砂米黄
Shallow sand cream-colored




★xgd80#平底梁
50#门片专用
颜色与门片配套
Color and door piece form a complete set



★xgd90#平底梁
80#/100#门片专用
颜色与门片配套
Color and door piece form a complete set



★xgd90#T型底梁
80#/100#门片专用
颜色与门片配套
Color and door piece form a complete set



★xgd90#T型底梁
水晶门、通花闸专用
颜色: 喷砂银白
Gush arenaceous silver white



★xgd60#平底梁
37#窗片专用
颜色: 蛋清白
Egg white

xgd卷帘门、窗配件系列

xgd screens doors, Windows accessories series



★xgd100#门片封口码
★xgd100 # door piece sealing yards



★xgd80#门片封口码
★xgd80# door piece sealing yards



★xgd80#单层透孔封口码
★xgd80#Single-layer through holesealing yards



★xgd50#门片封口码
★xgd50# door piece sealing yards



★xgd37#窗片封口码
★xgd37 # window piece sealing yards



★xgd铝合金水晶门通花闸封口码
★xgd aluminum alloy crystal door tong flower brake sealing yards



★xgd导槽螺丝孔盖帽
★xgd Guide groove screw holes blocked shots



★xgd消音条、密封条
★xgd censored bars sealing strip



★xgd卷轴扩充圈
★xgd scroll expansion circle



★xgd手电两用应急锁
★xgd flashlight amphibious emergency lock



★xgd安装板
★xgd install board



★xgd37#卷帘窗封箱端板
★xgd37 # shutter Windows sealing the endplate



★xgd37#卷帘窗收绕器
★xgd37 # shutter Windows receive around the device




★xgd尾插、皮带盘
★xgd tail plug belt plate



★xgd37#卷帘窗连接件
★xgd 37 # shutter Windows fittings



★xgd八角管和封箱
★xgd eight angle tubes and closed box




★xgd导槽轮和滑轮限位板
★xgd guide groove wheel and pulley limit board

XGD铝合金透孔闸系列（库存）


XGD aluminum through hole valve series (inventory)



★长方形透孔规格
100mm×38mm
★Rectangle through
hole specifications
100mm×38mm



★垂直型 Vertical type




★交叉型 Cross type



★长条圆弧形
透孔规格
162mm×41mm
★Strip of circular
arc through hole
specifications
162mm x 41mm




★垂直型 Vertical type




★交叉型 Cross type



★椭圆形透孔规格
100mm×41mm
★Oval through hole
specifications
100mm×41mm




★垂直型 Vertical type



★交叉型 Cross type



★小圆孔透孔规格
直径: 3mm
★Little hole through
hole specifications
Diameter: 3mm




★xgd80#铝合金单层透孔
颜色: 哑光白
其他颜色可定制

★xgd80 # aluminum alloy s-
ingle-layer through hole
Color: matte white
other colors custo mizable



★中字孔透孔规格
33mm*18mm
★Medium hole
specification
33mm*18mm



★xgd80#铝合金单层透孔
颜色: 哑光白
其他颜色可定制

★xgd80 # aluminum alloy s-
ingle-layer through hole
Color: matte white
other colors custo mizable



★金钱孔透孔规格
30mm*30mm
★Money hole
specification
30mm*30mm



★xgd80#铝合金单层透孔
颜色: 哑光白
其他颜色可定制


★xgd80 # aluminum alloy s-
ingle-layer through hole
Color: matte white
other colors custo mizable

XGD铝合金通花闸系列（库存）

XGD galuminum general pattern valve series (inventory)




★灯笼型吊耳
★Lantern-shaped lug




★垂直型 Vertical type



★交叉型 Cross type



★蝴蝶型吊耳
★Butterfly type lug



★垂直型 Vertical type




★交叉型 Cross type



★直条型吊耳
★straight strip type lug



★垂直型 Vertical type



★交叉型 Cross type



★新型通花闸吊耳
★The new valve gate lifting lug



★交叉型 Cross type

★xgd铝合金通花闸
颜色：高档喷砂银白
其他颜色可定制
★xgd aluminum alloy tong
flower brake
Color: high-grade gush
arenaceous silver
other colors customizable

XGD铝合金豪华水晶门系列

XGD aluminum luxurious crystal door series



★xgd豪华水晶带—铝合金骨专用
★xgd Luxurious crystal tape—Aluminum alloy
bone special



★xgd豪华水晶片—铝合金骨专用
★xgd Luxurious crystal chips—Aluminum alloy
bone special



XGD不锈钢豪华水晶门系列

XGD stainless steel luxurious crystal door series



★xgd豪华水晶片 规格：9/12/16分管 垂直组装
★xgd Luxury crystal specifications: 9#/12#16# tube
Vertical assembly



★xgd豪华水晶片 规格：9/12/16分管 交叉组装
★xgd Luxury crystal specifications: 9#/12#16# tube
Cross the assembly

水晶卷闸门使用实例

Crystal gate using instance



水晶闸在机场高档店铺的应用。
crystal gate airport high-grade shop applications.



水晶闸在公共场馆商铺的应用。
crystal brake in public venues shop applications.

铝合金单层冲孔卷帘门安装实景

Aluminum alloy single-layer perforated rolling shutter door installation real scene



铝合金单层冲孔卷帘门采用优质的铝合金精制而成，型材的软硬度、柔性及弹性已达到了国内铝业的标准。表面静电粉末喷涂，不褪色、不起层、不黄变，经久耐用。冲孔卷帘门透光透气，广泛用于商铺、车库等场所

Aluminum alloy single-layer perforated rolling curtain door with high quality. Made of aluminum alloy, the profile is soft and hard, flexible and elastic. Has reached the domestic aluminum standard. Electrostatic powder coating on surface. Non-fading, non-layer, non-yellowing, durable. Perforated roll screen. The doors are transparent and are widely used in shops, garages and other places.

铝合金单层冲孔卷帘门安装实景

Aluminum alloy single-layer perforated rolling shutter door installation real scene



★ 铝合金单层冲孔卷帘门的安装案例 ★ The installation case of aluminum alloy single-layer perforated rolling curtain door



★ 铝合金单层冲孔 卷帘门其他款式展示

★ Aluminum alloy single punch Other
styles of shutter doors are displayed


铝合金通花闸安装实景

Aluminum alloy through-flowered brake installation scene



铝合金通花闸采用
优质铝材, 表面喷砂银白处理,
不易黄变、不褪色, 多用于商铺、
阳台等, 使建筑物锦上添花, 更
显豪华气派

Aluminum alloy gate use High quality
aluminum, surface sandblasted silver treat-
ment, Non-yellowing, non-fading, mostly used
in shops, The balcony and so on make the bu-
ilding beautiful, more pomp



★ 铝合金通花闸在商铺的安装效果 ★ Aluminum alloy through the flower gate in the shop installation



铝合金透视车库门系列

ALUMINUM ALLOY PERSPECTIVE
GARAGE DOOR SERIES



产品参数 | PRODUCT PARAMETERS

铝材颜色：哑光黑、白色（可定制其他纯色）
门板厚度：40mm
铝材壁厚：2.5mm
加强筋：2.5mm、5.0mm
钢化玻璃厚度：5.0mm


颜色配置 | COLOR CONFIGURATION



产品玻璃 | GLASS PRODUCTS



透明玻璃



磨砂玻璃



镜面玻璃



黑色玻璃



雅致讲究的细节，典雅奢靡的设计，
匠心独运的手工，给你皇室般雍容尊贵的美感体验。
洛可可的奢靡，巴洛克的激情，哥特的浪漫，
共邀你来一次华丽的时光之旅。



在苍白和凝重之间，设计师努力寻找一条中间路线……
简约而不简单，高雅而不奢华，怀旧而不伤感。
居室没有生命，但我们赋予了它生命，它便全记住很多事。



对追求完美的你而言，感性和体验同等重要
任意撷取生活中随处可见的画面，你都可以感受到其关怀所在
时尚外观，无暇品质，每一个细节都是为了满足您对完美的向往




色彩是很让人心动的，特别是在车库中激活这些元素。
那种飘逸和欢快，让人禁不住想在空间的方块里揉进灵动如梦的律动，
来不及将自己的灵魂放纵，那一种恍惚的感觉已然散漫开来。



纯平铝板车库门系列

PLAIN ALUMINUM GARAGE
DOOR SERIES



产品参数 | PRODUCT PARAMETERS

铝材颜色：哑光黑（可定制其他纯色）
门板厚度：60mm
铝材壁厚：3.0mm（单、双层可选）
钢化玻璃厚度：5.0mm

颜色配置 | COLOR CONFIGURATION




哑光黑





独具个性的她不断变换着自己的面孔
古典的艺术与本季流行的设计一起诱惑着追求时尚的脚步
她带着一种时尚的迷人气息，也传承着一种古典的艺术风格
点点滴滴都是人们对时尚不变的眷恋





钢制发泡及铝发泡车库门系列

STEEL FOAMED AND ALUMINUM FOAMED
GARAGE DOOR SERIES



产品参数 | PRODUCT PARAMETERS

颜色：纯色可定制
门板厚度：40mm
壁厚：0.4mm

颜色配置 | COLOR CONFIGURATION



红铜拉丝

金橡木

深灰

咖啡

豪华乳白







在设计师的巧妙安排下，淡雅的色彩和夕阳的余晖交相呼应
刹那间，整个车库恍然一个充满虚幻的陷阱，让您心甘情愿将自己的喜悦淹没其中
所有的繁尘都不复存在，所有的梦都从这里起源

铝合金型材车库门系列


ALUMINUM ALLOY PROFILE GARAGE DOOR SERIES




产品参数 | PRODUCT PARAMETERS

门板厚度: 40mm
铝材壁厚: 1.2mm

颜色配置 | COLOR CONFIGURATION





车库开门机参数：

	型号	额定电压	额定电压	额定功率	最大推力	最大速度	输出扭矩	可选配
进口电机	Comfort 260	230V AC	50/60 HZ	0.25KW	550N	160mm/s	/	无线墙壁开关、无线密码、无线指纹、红外感应、手机开门系统
	Comfort 270	230V AC	50/60 HZ	0.25KW	750N	160mm/s	/	
	Comfort 280	230V AC	50/60 HZ	0.25KW	1000N	160mm/s	/	
国产电机	350G	220V/110V	50/60 HZ	0.15KW	1100N	110mm/s	/	红外感应、无线墙壁开关、手机开门系统
	390G	220V/110V	50/60 HZ	0.18KW	1200N	110mm/s	/	
工业电机 + 控制箱	F-850E	230V	50/60 HZ	370W	/	/	50N.m	无线安全气囊、红外感应、密码锁、钥匙开关、警示灯
	F-890E	230V	50/60 HZ	480W	/	/	85N.m	


车库开门机：



产品配件 | PRODUCT ACCESSORIES



安装参数 | INSTALLATION PARAMETERS



高端硬质卷帘门系列

HIGH-END HARD ROLLING SHUTTER
DOOR SERIES



产品参数 | PRODUCT PARAMETERS

门板厚度：2.0mm
门板高度：80mm
铝材壁厚：1.0mm

颜色配置 | COLOR CONFIGURATION





主要部件 | MAIN COMPONENTS OF



RL-80K 帘片

1. 帘片采用铝合金为原材料。中间填充高密度聚氨酯保温材料，起到保温、隔热、隔音的效果。

2. 由于卷帘式车库门运行结构的物理特性，铝型材设计合理化，在安全耐用的基础上做到门片更加轻便增加使用寿命，帘片正面无受力点，壁厚为：1.0mm。两只帘片连接口为整个门体的受力点，壁厚为：2.25mm，成型门片厚度为：20mm，有效高度为：80mm，整体帘片版型为直板形。

3. 内部设计拉强筋处理，增加帘片强度“R”口处实心圆轴设计厚度为：3.0mm 可永不脱片、有效防撞击。表面漆面经铬化处理后可保 10 年不退色。




RL-80T 帘片

1. 帘片采用铝合金为原材料。中间开口尺寸为：30mm*140mm 透视效果俱佳。壁厚度为：2.0mm，连接口为整个门体的受力点设计厚为 2.25，有效高度为：80mm，整体帘片版型直板形。

2. “R”口处实心圆轴设计厚度为 3.0mm 可永不脱片、有效防撞击。

3. 透视面凹槽内可放置金钢网透视换气，防蚊虫。还可放置高透片透视不透气保暖又明亮，实用性强。

4. 与 30K 系列产品完美搭配。



RLGD-130 轨道

副轨：采用铝合金为原材料，成型为双层中空 90 度直角，单壁厚度为 3.0mm。内有多条拉筋提高强度。外侧有与轨道连接定位点及连接槽。副轨自身具有承重作用。副轨安装时不挑墙面，无论是平面墙体还是文化石等特殊墙体，都可以做到垂直水平安装。膨胀定位孔位置在副轨道正中间，解决帘片运行时由于拉力对轨道造成破坏。普通轨道安装时膨胀是偏移的，强度差、拉伸力差、不垂直、易松动、易损坏。

主轨：采用铝合金为原材料，成型为双层“T”字型，内有多条拉筋提高强度，外观精美时尚造型并且看不到膨胀螺丝孔，整体造型完美呈现。主轨道安装时与副轨直接锁定即可，不需再打膨胀与墙体连接，实现快速安装。主轨与副轨外侧定点连接槽，连接后可保证轨道永不偏移，轨道为加宽加长设计，适用于各种卷帘门片使用，同时使用片在轨道内延伸更长，抗风系数更大。轨道内侧为双毛条设计，有效降低帘片运行时的噪音，提升密封效果。轨道开口外侧加装皮条设计，有效阻隔空气流通提高密封度。轨道上方配有向轮卡槽，杜绝帘片与轨道的摩擦，保护帘片及轨道使门体运行更顺畅，延长使用寿命。

外形尺寸：宽度 130mm 厚度 90mm



130/140 轨道侧板及罩壳

1. 加厚 4.0mm-6.0mm 整体激光切割侧板，承重强不松动方便安装。底部带品牌 LOGO 美观时尚。

2. 铝合金装饰门楣顶部有防水槽设计，防止积水。

3. 彩钢板分体包厢，单壁厚度：0.7mm。铝板分体包厢，单壁厚度 1.0mm，上下组合而成，方便安装及维修。大型折板机一次性成型设计加长门口无需对接，一次成型不膨胀。

控制系统 | CONTROL SYSTEM



雷迪诺柔性快速电机（150N/200N/230N/300N）

1. 每秒 0.2-0.6 米提升速度可调。

2. 可提升 0-25 平方米门体使用。

3. 具有缓起停功能，减少对电机的冲击力。可延长电机的使用寿命。

4. 停电时可用导链将门体升起。

5. 单次可连续使用 10-20 个行程。用 5 寸圆轴。

6. 选配安全装置：日本产欧姆龙红外光电 / 安全光幕

7. 选配开启方式：手机远程遥控开启 / 无线墙壁开关 / 车载感应器 / 蓝牙 / 车牌识别 / 密码开启 / 人脸识别 / 智能家居联动

8. 选配应急装置：备用电源

安全防护及开启系统 | SAFETY PROTECTION AND SYSTEM OPENING



进口红外光电

日本进口“欧姆龙”红外光电，安装在轨道外侧，距离地面 20 厘米处，阻断红外线，体自动上行直到顶部停止限位处。有效保证了人、车的安全。



安全光幕

安全光幕，总高度 1.5 米。具有消隐功能隐藏在轨道内侧，安全性高，美观度好。在门体向下运行时，阻断光幕任意对射点门体停止运行并向上反弹上限位。安全保护家人、爱车、物品。

FOSHAN HK BUILDING MATERIAL COMPANY

Mobile:0086 15918090620

Tel: 0757-28821990

Email: cocoqiu1987@126.com

Whatsapp:+86 15918090620

Wechat:+86 15918090620

Website:www.hkbuildingmaterial.com