



FOSHAN HK BUILDING MATERIAL COMPANY

Aluminum panels

Aluminum ceilings

Aluminum trusses

One-stop solution for your Self-built houses or construction projects

Save your time, Save your cost!

FOCUS

CAST A NEW HEIGHT IN THE INDUSTRY

专注，铸就行业新高度


风雨历程，只为承托精工建筑之梦。

The stormy journey is only to support the dream of Seiko architecture.



CONTENTS

产品目录



● 铝单板幕墙系统	Aluminum veneer curtain wall system	P.05
室外铝单板幕墙系列	Outdoor aluminum veneer curtain wall series	P.07
室内铝单板幕墙系列	Indoor aluminum veneer curtain wall series	P.15
● 铝天花系统	Aluminum ceiling system	P.21
铝单板吊顶系列	Aluminum Veneer Ceiling	P.23
U-型方槽系列	U-shaped square groove Series	P.27
铝方通吊顶系列	Aluminum Fangtong Ceiling Series	P.29
铝条扣系列	Aluminum buckle series	P.31
铝扣板系列	Aluminum gusset plate series	P.33
● 铝型材系统	Aluminum profile system	P.37
铝型材幕墙系列	Aluminum profile curtain wall series	P.39
新型铝型材密拼系列	New aluminum profile close-fitting series	P.43
铝型材天花系列	Aluminum profile ceiling	P.45

● 造型定制系统	Customization system	P.53
三角造型系列	Triangle shape series	P.55
弧形铝方通系列	Curved aluminum square pass series	P.57
铝方管拉弯系列	Aluminum square tube bending series	P.61
铝树系列	Aluminum tree series	P.63
艺术冲孔系列	Art punching series	P.65
艺术镂空系列	Art hollow series	P.67
铝窗花系列	Aluminum window flower series	P.69
双曲板扭曲系列	Hyperbolic twisted series	P.71
阳极氧化铝板系列	Anodizing plate series	P.73
复合板系列	Composite board series	P.75
● 表面处理系统	Surface treatment system	P.81
● 工程应用鉴赏	Engineering Application Appreciation	P.83


铝单板幕墙系统

ALUMINUM VENEER

CURTAIN WALL SYSTEM

运用建筑艺术独特的艺术语言，使建筑形象具有文化价值和审美价值，具有象征性和形式美，体现出民族性和时代感。


The unique artistic language of architectural art is used to make the architectural image have cultural and aesthetic value, symbolic and formal beauty, and reflect nationality and sense of the times.



OUTDOOR

ALUMINUM VENEER CURTAIN WALL SERIES

室外铝单板幕墙系列



高耐候性:
主要由无机材料组成, 不易被紫外线、酸雨、汽车废气和大气污染破坏而老化。

优异的防火性能:
涂料防火, 可以耐 300℃ 高温, 漆膜不会破坏、炭化和变色, 达到 A 级防火要求。

高自洁性:
涂层有良好的不粘性, 因而具备良好自洁性。

高环保性:
具有环保性能, 符合 SGS 环保标准。不易燃烧, 高温燃烧后不会产生有害气体。

应用场合:
建筑物外墙、梁柱、阳台、候机 / 车楼、会议室、歌剧院、体育场馆、接待大堂等。



Strong weathering resistance:
It's mainly made of inorganic materials, doesn't easily aging cause of UV ray, acid rain, vehicle emissions and air pollution.

Excellent fire performance:
Not burning, which can be up to 300 °C high temperature, the film won't destroy, coking and discoloration, achieve to A level of fire.

Strong self-cleaning performance:
Due to non-stick performance of coating, it owns excellent self-cleaning performance.

Strong environmental property:
Differ from organic coating, the inorganic coating is environmental and meet SGS standard, hard to burn, doesn't produce any harmful gas after burning.

Applications:
Building external wall, beams, balcony, waiting building, conference room, opera, sports venues, reception hall and etc.



产品优点 product advantages



防火性
Fire resistance

拥有良好的阻燃性能, 防火符合国家室内防火标准, 最高可达 A 级。
Has good processing performance, slotting, bending, bending arc, easy operation and fast installation. 50% less man-hours than traditional wall mounting.



耐候、防潮
Weather and moisture

产品耐候性强, 耐酸碱, 15 年不褪色, 具有防潮性能。
The product has strong weather resistance, acid and alkali resistance, does not fade for 15 years, and has moisture resistance.



易安装
Easy to install

具有良好的加工性能, 开槽、折弯、弯弧, 操作简便、安装快捷。比传统墙面安装方式节省 50% 的工时。
Has good processing performance, slotting, bending, bending arc, easy operation and fast installation. 50% less man-hours than traditional wall mounting.



自然环保
Natural environment

产品通过国家环保认证, 零甲醛挥发, 安装过程中无需使用任何胶水, 绿色环保。测试结果达到 EO 级国际至高健康标准。
The product has passed the national environmental protection certification, 0 formaldehyde volatilizes, no glue is needed during installation, and it is green and environmentally friendly. The test results meet EO-level international highest health standards.



抗刮性
Scratch resistance

表面含有硬质成分, 能够保护表面免受损伤, 抗刮性能比烤漆面材料优 30% 以上。
The surface contains hard ingredients, which can protect the surface from damage, and its scratch resistance is more than 30% better than that of baking paint.



抗菌性
Antibacterial

抗菌系列, 板面具有抗菌功能, 保持了面板的清洁性。
Antibacterial series, the surface of the board has antibacterial function, keeping the cleanliness of the panel.

OUTDOOR

ALUMINUM VENEER CURTAIN WALL SERIES

室外铝单板幕墙系列

室外铝单板幕墙是以高等级铝合金为主要材料，按照工程现场设计的尺寸、形状和构造形式，经过数控折弯等技术成型，确保板材在加工后能平整不变形，并在其表面氟碳喷涂的基础上，制作间距比例大小一致的网格的一种高档金属装饰材料。室外铝单板幕墙更能满足客户对美的追求，可根据个性风格定做。

适用范围：

广泛适用于飞机场、火车站、地铁站、候车大厅、运动场馆、办公室、写字楼、餐厅、酒吧、超市、商场、饭店、酒店大厅等场所天花。

The outdoor aluminum veneer curtain wall is made of high-grade aluminum alloy as the main material. It is formed by CNC bending and other technologies according to the size, shape and structure of the project site design, to ensure that the plate can be flat and not deformed after processing, and fluorine On the basis of carbon spraying, a high-grade metal decorative material with a grid with uniform spacing ratio is produced. The outdoor aluminum veneer curtain wall can better satisfy customers' pursuit of beauty, and can be customized according to individual style.

Scope of application:

It is widely used for ceilings in airports, railway stations, subway stations, waiting halls, sports venues, offices, office buildings, restaurants, bars, supermarkets, shopping malls, restaurants, and hotel halls.




OUTDOOR

ALUMINUM VENEER CURTAIN WALL SERIES

室外铝单板幕墙系列



STICK TO QUALITY, MAKE EXTRAORDINARY 坚守品质 缔造非凡



铝单板幕墙系统 Aluminum veneer curtain wall system

OUTDOOR

ALUMINUM VENEER CURTAIN WALL SERIES

室外铝单板幕墙系列

普森建材
BUILDING MATERIAL PUSEN



铝单板幕墙系统 Aluminum veneer curtain wall system

INDOOR

ALUMINUM VENEER CURTAIN WALL SERIES

室内铝单板幕墙系列

PRODUCT CHARACTERISTICS

◆产品特点

难燃材料，安全环保：

无粉尘飞散，无任何有害辐射，且重量轻、强度高、防污、防火、耐酸碱、抗蚀、维护费用低，不怕虫蛀，抗下陷，不易变形，使用寿命长。

可塑性高：

加工性能佳，可加工成弧形及异形，表面可喷涂成多种颜色，在墙面形成各种美丽的图案，并且可以和玻璃幕墙等组合成不同的外观形体，使建筑物具高贵典雅的风格。

应用场合：

各种建筑内外墙、大堂门面、柱饰、走廊、人行天桥、电梯包边、阳台包边、广告提示牌、室内异形吊顶等装饰。

Flame retardant materials, safe, environmental protection:

No dust, without any harmful radiation, and light weight, high strength, anti-fouling, fire prevention, acid and alkali resistant, corrosion resistance, lower maintenance cost, resistance to cave in, use for a long time.


High plasticity:

Good processing performance, can be processed into arc and deformed, the surface can spray into a variety of color, and can be combined into different appearance form, make the building more noble and elegant style.


Application:

It is suitable for various building external walls, lobby appearance, column, corridor, pedestrian overpass, elevator serging, balcony edge, advertising, indoor modeling ceiling.


CURTAIN WALL CORNER INSTALLATION STRUCTURE DIAGRAM
幕墙墙面转角安装结构图



INTERNAL CORNER INSTALLATION ILLUSTRATION TO ALUMINUM SINGLE PLATE
铝单板内部转角安装实例



GRAPHIC ILLUSTRATION CONNECTION POINT OF PLATE TO PLATE
板与板连接节点图





铝单板幕墙系统 Aluminum veneer curtain wall system

INDOOR

ALUMINUM VENEER CURTAIN WALL SERIES

室内铝单板幕墙系列



作为一种内墙建筑装饰行业中常用装饰材料，室内密拼铝单板逐步成为一名强势成员，在室内外幕墙领域中应用尤为广泛。室内密拼铝单板正以其突出的优点，越来越受到市场的青睐。重量轻，刚性强度高，耐候性和耐腐蚀性；可加工成平面、弧曲面和球面等各种复杂形状，表面处理色彩丰富，安装施工简易，清洁保养方便；稳定的产品物性，有优异的环保及防火功能；并具有良好的抗震性与防风能力。

As a kind of decoration material in interior wall building decoration industry, indoor aluminum veneer gradually becomes a strong member, which is widely used in the field of indoor and outdoor curtain wall. Aluminum veneer is taking advantage of its outstanding advantages, and more and more market. Light weight, high rigidity, weather resistance and corrosion resistance; it can be machined into various complex shapes such as plane, curved surface and spherical surface, with rich surface treatment, easy installation, convenient cleaning and maintenance. Stable product property, excellent environmental protection and fire protection function; it has good earthquake resistance and wind resistance.



铝单板幕墙系统 Aluminum veneer curtain wall system

INDOOR

ALUMINUM VENEER CURTAIN WALL SERIES


室内铝单板幕墙系列



SIMPLE AVANT-GARDE · ART PRESENTATION 简约前卫 · 艺术呈现

INDOOR

ALUMINUM VENEER CURTAIN WALL SERIES



铝天花系统

ALUMINUM CEILING SYSTEM

铝单板吊顶系列产品有逼真的实物质感，抗折强度，在四季气候状态下，风压、温度、湿度等因素的变化，不会引起变形。

铝单板真正致力于一切以用户价值为依据，注重长远发展，关注并深刻理解用户需求，与用户共成长。


The aluminum veneer ceiling series products have a realistic sense of solid material and flexural strength. Under the four-season climate state, changes in wind pressure, temperature, humidity and other factors will not cause deformation.

Aluminum veneer is truly committed to everything based on user value, focusing on long-term development, paying attention to and deeply understanding user needs, and growing together with users.



ALUMINUM VENEER CEILING

铝单板吊顶系列



PRODUCT CHARACTERISTICS

◆产品特点

装饰性：铝单板吊顶系列产品有逼真的实物质感，有鲜活的天然美感。给客户广泛的个性选择，能丰富产品的人文内涵，给人们更多美的享受。

耐候性：经高温烘烤而成的烤漆木纹，光泽保持度高，色彩稳定性好，色差变化极小。聚酯漆质保 10 年，氟碳漆质保 20 年以上。

机械性：铝单板吊顶系列产品具有装饰板所需的抗弯、抗折强度，在四季气候状态下，风压、温度、湿度等因素的变化，不会引起变形、膨胀、脱落等。

环保性：抗盐碱酸雨腐蚀，自身不会腐蚀产生毒菌，不释放任何有毒气体，绿色环保。

适用场所：大型商业写字楼、市政办公项目、会展中心、大型场馆、博物馆、高级会所、医院综合楼、酒店大堂、火车站、地铁、会展中心、机场等。

Decorative: The aluminum veneer ceiling series products have a realistic physical sense and a fresh natural beauty. Give customers a wide range of personality choices, which can enrich the humanistic connotation of products and give people more beautiful enjoyment.


Weather resistance: baked wood grains baked at high temperature, high gloss retention, good color stability, and minimal change in color difference. Polyester paint is guaranteed for 10 years, and fluorocarbon paint is guaranteed for more than 20 years.

Mechanical: Aluminum veneer ceiling series products have the bending and bending strength required for decorative boards. In four-season climate conditions, changes in wind pressure, temperature, humidity and other factors will not cause deformation, swelling and shedding.

Environmental protection: It is resistant to corrosion by saline-alkali acid rain. It does not corrode and produce toxic bacteria, does not release any toxic gases, and is environmentally friendly.

Applicable places: large commercial office buildings, municipal office projects, convention and exhibition centers, large venues, museums, high-level clubs, hospital complexes, hotel lobby, train station, subway, convention center, airport, etc.

INSTALLATION STRUCTURE OF ALUMINUM VENEER CEILING 铝单板吊顶安装结构图




ALUMINUM

VENEER CEILING

铝单板吊顶系列



MOUNTING STRUCTURE OF HOOK BOARD SUSPENDED CEILING
勾搭板吊顶安装结构图



U-SHAPED SQUARE GROOVE SERIES

U 型方槽系列



PRODUCT CHARACTERISTICS

◆产品特点


U 型方槽属于开放式空间，高度一致性，并排整齐，有利于通风设施和消防喷淋的布置安排，而不影响整体效果，也可与明架系统配合。U 型方槽连接牢固，每件可重复多次装拆，易与各种灯具和装置相配，更方便设备维护。同时色泽均匀一致，在户内使用，质保 10 年不变色。

适用于走廊、酒吧、图书馆、会所、广场、会展、地铁站、机场、商场、写字楼等。

U-Shaped square-groove belong to widen dyadic space and it's altitude is consistent, neatly side by side. The Arrangement that facilities beneficial to being ventilated,drenches with fighting fire gushing ventilated. And may coordinate with ridges system to use.U-Shaped square-groove connect solid,each document but many times linking up pretends to dismantle, easily various lamp and device match each other, conveniently maintain the equipment.At the same time,its' color and luster is homogeneously consistent ,put into use indoor can invariable in 10 years.

Used in corridors, bars, libraries, clubs, squares, exhibition, subway, airports, shopping malls, office building and other places.

STRUCTURE DIAGRAM OF U-SHAPED SQUARE-GROOVE CEILING
U 型方槽安装结构图



ALUMINUM

FANGTONG CEILING SERIES

铝方通吊顶系列



PRODUCT CHARACTERISTICS

◆产品特点

宽敞通透、灵活调节：

具有通透的结构，优良的排气效果，采用单向条板安装，形成单向屏蔽视觉，造型美观、线条明快飘逸，简约大方，如选用适当的高度，其空间的视觉角度则能产生幕布的效果，令设计变化万千，整个建筑空间宽敞通透，更具有天花行业的时尚感。

隐藏设备，且简便检修：

铝方通吊顶安装便捷，且便于对上部的消防喷淋和照明设备进行安装和维护，适用于现代而简洁的开放式公共区域。

应用场合：

适用于各大型的公共建筑，如机场、展览厅、购物中心、车站、隧道走廊以及家居装饰等。

表面工艺处理：聚酯、粉末、转印、滚涂

SPACIOUS, TRANSPARENT, FLEXIBLE ADJUSTMENT:

Has transparent structure, good exhaust effect, with unidirectional plate installation, forming unidirectional vision. Beautiful modeling, lively and elegant line, simple and easy. If select some height, it can produce curtain effect, make design changeable, and with fashion sense.

HIDDEN EQUIPMENT, EASY MAINTENANCE:

Convenient installation and easy to maintenance, which applicable to the modern and simple open public area.

APPLICATIONS:

Suitable for the large public buildings, such as airport, exhibition hall, shopping center, station, tunnel corridor, home decoration and so on.

SURFACE TREATMENT: Polyester, powder, transfer, roller coating




HIGH-QUALITY ENGINEERING · CLASSIC REPRODUCTION 优质工程 · 经典再现



ALUMINUM

FANGTONG CEILING SERIES



铝天花系统 Aluminum ceiling system

ALUMINUM BUCKLE SERIES

铝条扣系列 (C 型条扣)

PRODUCT CHARACTERISTICS

◆产品特点

C 型条板呈长条形分布, 板面平整, 拼缝细密, 棱线分明, 不同宽度可实现多种组合。整个吊顶系统整齐、大方、排列紧凑、视觉空间大, 现代感强, 且具有阻燃、防腐、防潮、装拆简便的优点。也可在穿孔板背面覆加一层吸音棉纸或黑色阻燃棉布, 能够达到一定的吸声效果。

适用范围:

商场、加油站、宾馆、写字楼、酒店、高级住宅等大中小型建筑装饰。

C-shaped strip elongated strip distribution ,board formation ,patchwork close,ridge distinct ,can achieve a variety of combination of different widths.The entire ceiling system neat,generous,compact arrangement ,perspective space, modern strong,and has a flame retardant,corrosion,moisture, the advantages of easy assembly and disassembly. Can also add a layer of perforated plate on the back cover or black flame-retardant cotton sound-absorbing tissue,the absorption can be achieve certain results.

APPLICATION:

Shopping malls,hotels,office building, senior housing and other large、middle and small architectural decoration.



铝天花系统 Aluminum ceiling system

ALUMINUM BUCKLE SERIES

铝条扣系列 (S 型条扣)



PRODUCT CHARACTERISTICS

◆产品特点

结构严密, 表面平整, 安装结构为防风式特殊龙骨卡扣式结构, 拼密性很强, 绝无间隙, 防风性强。

高深龙骨, 防风性高, 高深龙骨上有固定模数的卡齿, 每个卡齿都设计有防风卡码, 适合户外装饰, 安全系数高。

每块板两端可折边, 板与板两端连接不需要任何装饰便能很好地密拼在一起, 同时可嵌入暗槽式长条形板做装饰, 解决了传统条板两端不能折边、连接收口装饰难的问题。

Vertebration, strong performance in wind-proof, the special water-proofing structure leave no sew and make it have a strong character of wind resistance.

Strong performance in wind-proof, there are latches on carriers with wind-proof fasteners, applied for decoration outdoor, safe enough.

It's able to take apart edges of the panel, every two panels could combined well without any decoration and allow to insert decorative clip-in strip, successfully solve traditional questions.



铝天花系统 Aluminum ceiling system

ALUMINUM BUCKLE SERIES

铝条扣系列 (G 型条扣)



PRODUCT CHARACTERISTICS

◆产品特点

G 型条板天花选用优质铝材, 精密加工成型, 并提供丰富的色彩选择, 开放式吊顶营造出优美大方的造型和富于变化的色彩空间。明暗相间, 层次立体:

板与板之间形成凹槽, 隐蔽了板面可能出现的变形、凹陷等缺点, 从而达到天花板之间的接合更完美无瑕, 远观望天花明暗相间, 突出空间较强的层次感和立体感。

可用于机场、车站、体育馆、加油站、写字楼、贸易商场等建筑装饰。

G-shaped strip ceiling made of high quality aluminum, molding by precision machining, and selected rich colors. Open ceiling create a beautiful shape and varied color space.

Light and shade, stereo level:

The groove covers the disadvantages of deformation and depression. It makes the ceilings more perfect, stand out stereoscopic sensation of space.

Used in building decoration of airport, station, gym, oil station, office building, and commercial mall.



PRODUCT CHARACTERISTICS

◆产品特点

明架天花由装饰面板、明骨、上层轻钢主龙骨以及相关配件共同构成。板面平整，棱线分明，吊顶系统规整、大方、典雅、视野开阔。明架天花具备阻燃、防腐、防潮的优点，而且装拆方便，每件板均可独立拆装，方便施工、维护和清洁。

适用范围：

高级写字楼、办公室、走廊、机场、车站、厂房、医院、会所、银行、商场、学校、展览馆等。
表面工艺处理：聚酯、粉末、转印、滚涂

The exposed frame ceiling is composed of decorative panel, exposed bone, upper light steel main keel and related accessories. The surface of the board is flat, the ridges are clear, the ceiling system is regular, generous, elegant, and the vision is wide. The exposed frame ceiling has the advantages of flame retardant, anti-corrosion and moisture-proof, and is easy to assemble and disassemble. Each board can be disassembled and assembled independently, which is convenient for construction, maintenance and cleaning.

Application:

The product is widely used in office buildings, offices, corridors, airports, railway stations, factories, hospitals, clubs, banks, shopping malls, exhibition halls and so on.
Surface Treatment: Polyester, powder, transfer, roller coating


铝天花系统 Aluminum ceiling system

ALUMINUM GUSSET PLATE SERIES


铝扣板系列（明架）




STRUCTURE DIAGRAM OF LAY-IN CEILING
明架方板安装结构图



明架方板安装示意图
Installation Illustration of Lay-in Ceiling




铝大方槽龙骨接驳示意图
Drawing of Connection of Aluminum Square-groove Carrier



铝扣板系列（暗架）




STRUCTURAL DRAWING
产品结构图



◆产品特点

Have advantage of fire-proof, damp-proof, resistance to corrosion, and easy to clean, light structure, conveniently install and tear down, each board have its positioning hustle, made sure that it's smoothly install, have strong coverage to concealed works, guarantee uniformity and aesthetics of whole ceiling.

INSTALLATION STRUCTURE DIAGRAM OF HIGH-SIDE CONCEALED SQUARE PLATE
暗架方板安装结构图



铝型材系统

ALUMINUM PROFILE SYSTEM

对于客户我们坚信以诚相待，以品质承诺！
才能真正建立长期稳定和愉快的合作关系，所以
我们的设计与制造的产品始终站在客户的角度！
以产品为本，精益求精。

For customers, we firmly believe in treating each other with sincerity and
committing ourselves to quality!
In order to truly establish a long-term stable and pleasant cooperative
relationship, so our design and manufactured products always stand in
the customer's perspective!
People-oriented, keep improving.





铝型材系统 Aluminum profile system

ALUMINUM PROFILE CURTAIN WALL SERIES

铝型材幕墙系列

PRODUCT CHARACTERISTICS

◆产品特点

铝型材方管以高等级铝合金为主要材料，经过切割、挤出、喷涂等生产工艺处理成型。方管具有通透的结构，优良的排气效果，采用单向条板安装，形成单向瓶级视觉，造型美观、线条明快飘逸，简约大方，若适当地选用高度，其空间的视觉角度则能产生幕布的效果，令设计变化万千，整个建筑空间宽敞通透，更具有天花行业的时尚感。铝型材方管安装便捷，且便于对上部的消防喷淋和照明设备进行安装和维护，适用于现代而简洁的开放式公共区域。

适用范围：


走廊，酒吧，商场，写字楼，图书馆，会所，广场，会展，地铁站站，机场等场所。

The aluminum profile square tube is made of high-grade aluminum alloy, which is processed by cutting, extrusion, spraying and other production processes. The square tube has a transparent structure and excellent exhaust effect. It is installed with a one-way strip to form a one-way bottle-level vision. The shape is beautiful, the lines are bright and elegant, and simple and generous. If the height is appropriately selected, the visual angle of the space Can produce the effect of the curtain, make the design change, the entire building space is spacious and transparent, and has a sense of fashion in the ceiling industry. The aluminum square tube is easy to install, and it is easy to install and maintain the upper fire sprinkler and lighting equipment. It is suitable for modern and simple open public areas.

Scope of application:

Corridors, bars, shopping malls, office buildings, libraries, clubs, squares, conventions, subway stations, airports and other places.


INSTALLATION STRUCTURE DIAGRAM OF ALUMINUM PROFILE CURTAIN WALL
铝型材幕墙安装结构图



ALUMINUM

PROFILE CURTAIN WALL SERIES


铝型材幕墙系列



产品硬度大、直线度好，铝型材幕墙颜色丰富多样，可定制木纹颜色新颖逼真，接近自然纯朴的气息，规格大小均可定做，满足各种需求视觉通透开阔，利于排气散热，防风性强可灵活调整高度、间距，丰富空间层次感能够与中央空调、照明、喷淋等设施搭配，有效利用空间铝合金材质可实现完全回收再利用，安全环保，无污染，使用寿命长。

The product has large hardness and good straightness. The aluminum profile curtain wall has rich and diverse colors. The wood grain color can be customized. The color is novel and realistic, close to the natural and simple atmosphere. The specifications and sizes can be customized to meet various needs. It can be adjusted flexibly in height and spacing. The rich sense of space can be matched with central air conditioning, lighting, spraying and other facilities. The effective use of space aluminum alloy material can achieve complete recycling and reuse. It is safe and environmentally friendly, pollution-free, and has a long service life.

ALUMINUM
PROFILE CURTAIN WALL SERIES





铝型材系统 Aluminum profile system

NEW ALUMINUM PROFILE CLOSE-FITTING SERIES

新型铝型材密拼系列

PRODUCT CHARACTERISTICS

◆产品特点

新型铝型材密拼系列，不仅可以运用于室内墙板，也可以运用于室外墙板。其在建筑，建材，装饰材料行业，家具行业及其它工业产品领域也同样适合；可以加工成吸音板、护墙板、柜门板、门框、窗框、踢脚线、腰线、边角线、门边等各种装饰材料，其延伸出来的产品可以达到数百个品种应用于各个行业，具有巨大的发展空间。

适用范围：

高级写字楼、学校、办公室、走廊、车站、厂房、医院、会所、银行、商场、展览馆等建筑。

The new aluminum profile close-fitting series can be used not only for indoor wall panels, but also for outdoor wall panels. It is also suitable in the fields of construction, building materials, decorative materials, furniture, and other industrial products; it can be processed into sound-absorbing panels, wall panels, cabinet door panels, door frames, window frames, skirting lines, waist lines, corner lines, Doors and other decorative materials, the extended products can reach hundreds of varieties used in various industries, with huge room for development.

Scope of application:

High-end office buildings, schools, offices, corridors, stations, factories, hospitals, clubs, banks, shopping malls, exhibition halls and other buildings



NEW ALUMINUM
PROFILE CLOSE-FITTING SERIES

ALUMINUM

PROFILE CEILING SERIES

铝型材天花系列（型材方通）

PRODUCT CHARACTERISTICS

◆产品特点

型材方通通过连续滚压或冷弯成型，安装结构为专用龙骨卡扣式结构，安装方法类似普通的条形扣板，简单方便，适用于室内装饰。

型材方通主要应用在设备繁多及人流众多的区域，系统设计可以隐蔽墙边，并可提供简单便利的设备检查方式。

产品有着开透、吸音和装饰等功能，并且具备现代时尚、超前效果。通过面板高度、方向以及照明和颜色的变化，将型材方通表现得更加通透和富有动感。

适用范围：

走廊，酒吧，商场，写字楼，图书馆，会所，广场，会展，地铁站站，机场等场所。

The aluminum profile curtain wall is formed by continuous rolling or cold bending. The installation structure is a special keel buckle structure. The installation method is similar to the ordinary strip-shaped buckle plate, simple and convenient, and suitable for indoor decoration.

Aluminum profile curtain wall is mainly used in areas with many equipment and crowds. The system design can hide the side of the wall and provide a simple and convenient way to inspect the equipment.


The product has functions such as transparency, sound absorption and decoration, and has modern fashion and advanced effects. Through the changes in panel height, orientation, and lighting and color, the aluminum profile curtain wall is made more transparent and dynamic.

Scope of application:

Corridors, bars, shopping malls, office buildings, libraries, clubs, squares, conventions, subway stations, airports and other places.




INSTALLATION STRUCTURE DIAGRAM OF ALUMINUM PROFILE CURTAIN WALL
型材方通安装结构图



ALUMINUM

PROFILE CEILING SERIES

铝型材天花系列（型材方通）




ALUMINUM
PROFILE CEILING SERIES



ALUMINUM

PROFILE CEILING SERIES

铝型材天花系列（水滴挂片）



PRODUCT CHARACTERISTICS

◆产品特点

特色外观，完美造型：水滴挂片系列是呈水滴状的一种独具特色的天花系列，富于浓烈的现代气息，完美的造型令装饰效果更加新奇。

通透明亮：水滴挂片系列通透宽敞，是现代装饰设计的主流产品之一，便于空气的流通，排气散热的同时，能够使光线分布均匀，使整个空间宽敞明亮。

改善空间距离感：能使长距离的空间显得更宽敞，使长形空间不再因为距离而产生局促感，简洁而非平板，充足的光感与次序感，更使空间充满时尚气息。

适用范围：

要用于人流密集的公共场合，便于空气流通，广泛适用于体育场馆、车站、商场、通道、建筑物外墙、机场、医院等开放式的场合。

Distinctive appearance, perfect shape: The barrier drop ceiling is a unique series of smallpox in the shape of a drop, full of strong modern atmosphere, and the perfect shape makes the decoration effect more novel.


Transparent and bright: The barrier water drop ceiling system is transparent and spacious. It is one of the mainstream products of modern decorative design. It is convenient for air circulation and exhaust heat dissipation. It can evenly distribute light and make the entire space bright and spacious.

Improve the sense of distance in the space: It can make the long-distance space appear more spacious, so that the long-shaped space no longer has a sense of cramp due to the distance. It is simple rather than flat. Sufficient light and order make the space full of fashion.


Scope of application:

It is to be used in public places with dense crowds and convenient for air circulation. It is widely used in open venues such as stadiums, stations, shopping malls, passages, building facades, airports and hospitals.

QUALITY INNOVATION, NOBLE ENJOYMENT 品质创新 · 尊贵尽享



INSTALLATION STRUCTURE DIAGRAM OF WATER DROP HANGING PIECE
水滴挂片安装结构图



ALUMINUM

PROFILE CEILING SERIES

铝型材天花系列（方管）

PRODUCT CHARACTERISTICS

◆产品特点

铝方管吊顶以高等级铝合金为主要材料，经过切割、挤出、喷涂等生产工艺处理成型。铝方管吊顶具有通透的结构，优良的排气效果，采用单向条板安装，形成单向瓶级视觉，造型美观、线条明快飘逸，简约大方，若适当地选用高度，其空间的视觉角度则能产生幕布的效果，令设计变化万千，整个建筑空间宽敞通透，更具有天花行业的时尚感。铝方管吊顶安装便捷，且便于对上部的消防喷淋和照明设备进行安装和维护，适用于现代而简洁的开放式公共区域。




适用范围：

高级写字楼、学校、办公室、走廊、车站、厂房、医院、会所、银行、商场、展览馆等建筑。

The square tube ceiling uses high-grade aluminum alloy as the main material and is formed by cutting, extrusion, spraying and other production processes. The square tube ceiling has a transparent structure and excellent exhaust effect. It is installed with one-way strips to form a one-way bottle-level vision. The shape is beautiful, the lines are bright and elegant, and simple and generous. If the height is appropriately selected, the visual angle of the space it can produce the effect of curtain, make the design change a lot, the whole building space is spacious and transparent, and it also has the fashion sense of the smallpox industry. The aluminum square through ceiling is convenient to install, and is convenient for the installation and maintenance of the upper fire sprinkler and lighting equipment. It is suitable for modern and simple open public areas.

Scope of application:

High-grade office buildings, schools, offices, corridors, stations, factories, hospitals, clubs, banks, shopping malls, exhibition halls and other buildings.




造型定制系统

CUSTOMIZATION SYSTEM

创新型系列产品突破观念，大胆运用三角造型、弧形、梯形板、六边形板等打造出线条分明、时尚大气，极具视觉冲击力的写意空间。


The innovative series of products break through the concept and boldly use triangular shapes, arcs, trapezoidal plates, hexagonal plates, etc. to create a freehand space with clear edges, a stylish atmosphere and a visual impact.



TRIANGLE

SHAPE SERIES

三角造型系列



PRODUCT CHARACTERISTICS

◆产品特点

三角造型系列是以高等级铝合金为主要材料，按照工程现场设计的尺寸、形状和构造三角造型，经过数控折弯等技术成型，确保板材在加工后能平整不变形，并在其表面氟碳喷涂的基础上，制作间距比例大小一致的网格的一种高档金属装饰材料。三角造型系列更能满足客户对美的追求，可根据个性风格定做。




适用范围：

广泛适用于飞机场、火车站、地铁站、候车大厅、运动场馆、办公室、写字楼、餐厅、酒吧、超市、商场、饭店、酒店大厅等场所天花板。

The triangle molding series is made of high-grade aluminum alloy as the main material. It is shaped according to the size, shape and structure of the project site, and is shaped by CNC bending technology to ensure that the plate can be flat and not deformed after processing. On the basis of spraying, a high-grade metal decorative material is used to make a grid with a uniform spacing ratio. Triangle shape series can better meet customers' pursuit of beauty, and can be customized according to individual style.

Scope of application:

Widely used in ceilings of airports, railway stations, subway stations, waiting halls, sports venues, offices, office buildings, restaurants, bars, supermarkets, shopping malls, restaurants, hotels and other places.





造型定制系统 Customization system

CURVED

ALUMINUM SQUARE PASS SERIES

弧形铝方通系列

PRODUCT CHARACTERISTICS

◆产品特点

弧形铝方通，是以高等级铝合金为主要材料，按照工程现场设计的尺寸、形状和构造形式，经过数控折弯等技术成型，确保板材在加工后能平整不变形，并在其表面氟碳喷涂的基础上，制作间距比例大小一致的网格的一种高档金属装饰材料。更能满足客户对美的追求，可根据个性风格定做。

The arc-shaped aluminum square pass is made of high-grade aluminum alloy as the main material, followed by the size, shape and structural form designed at the project site, and is formed by CNC bending and other techniques to ensure that the plate can be smooth and not deformed after processing. On the basis of fluorocarbon spraying on the surface, a high-grade metal decorative material with a grid with a uniform spacing ratio is produced. It can better satisfy customers' pursuit of beauty and can be customized according to individual style.





CURVED

ALUMINUM SQUARE PASS SERIES

CURVED

ALUMINUM SQUARE PASS SERIES

弧形铝方通系列



CURVED

ALUMINUM SQUARE PASS SERIES



ALUMINUM

SQUARE TUBE BENDING SERIES

铝方管拉弯系列



PRODUCT CHARACTERISTICS

◆产品特点

铝方管拉弯产品具有开放的视野，呈现出复杂而精致的奇特效果，造型优美、工艺精细、高贵大方、结构均匀、立体感强。安装后整个空间和諧柔美，现代感效果非常好。还可根据客户要求，订做不同图案、颜色、造型。



适用范围：

广泛应用于各种住宅、别墅、酒店、会所、商场、写字楼等室内装饰工程，更可取代传统的天花板，营造出高档优雅、别具一格、立体感极强的商住休闲空间。

The aluminum square tube stretch-bent products have an open field of view, presenting a complex and exquisite peculiar effect, beautiful shape, fine craftsmanship, noble and generous, uniform structure and strong three-dimensional sense. After installation, the whole space is harmonious and soft, and the modern effect is very good. According to customer requirements, different patterns, colors and shapes can be customized.

Scope of application:

It is widely used in interior decoration projects of various residences, villas, hotels, clubs, shopping malls, office buildings, etc. It can also replace traditional ceilings, creating a high-end elegant, unique, three-dimensional commercial and residential leisure space.



ALUMINUM

SQUARE TUBE BENDING SERIES

ALUMINUM

TREE SERIES

铝树系列



PRODUCT CHARACTERISTICS



◆产品特点

铝树方通安装不同的铝方通是都可以选择不同的高度和间距，可一高一低，一疏一密，加上合理的颜色搭配，令设计千变万化，能够设计出不同的装饰效果。同时，由于铝方通是通透式的，可以把灯具，空调系统，消防设备置于天花板内，以到达整体一致的完美视觉效果。

适用于酒店、商场、商业建筑、行政楼房、超市等各种公共场所。

Different installations of Aluminium Fanglong can choose different heights and spacings. They can be one high, one low, one sparse, and one dense. With reasonable color matching, the design is ever-changing and different decorative effects can be designed. At the same time, because the aluminum square pass is transparent, you can place lamps, air conditioning systems, and fire equipment in the ceiling to achieve a consistent and perfect visual effect.

Suitable for hotels, shopping malls, commercial buildings, administrative buildings, supermarkets and other public places.





造型定制系统 Customization system

ART PUNCHING SERIES

艺术冲孔系列

PRODUCT CHARACTERISTICS

◆产品特点

艺术冲孔板，能够使平面板材不断延伸深入空间感，有透光、透气的作用。不同图案、大小疏密的孔形变化搭配使物面产生动感，结合不同外形环境进行异形处理，令线条更为明快、飘逸。突破传统造型概念，更适合各种现代高级会所、家居装饰、办公等多种场合，为充满活力的时尚一族开辟了无穷无尽的思维空间，确是既实用又美观的新型装饰形式。


适用范围：

广泛适用于飞机场、火车站、地铁站、候车大厅、运动场馆、办公室、写字楼、餐厅、酒吧、超市、商场、饭店、酒店大厅等场所。

The art punching plate can make the flat plate continue to extend into the sense of space, and has the effect of light transmission and breathability. Different patterns, dense and dense hole shape changes match to make the object surface dynamic, combined with different shape environments for special-shaped treatment, making the lines more crisp and elegant. Breaking through the traditional modeling concept, it is more suitable for various modern high-end clubs, home decoration, office and other occasions. It opens up an endless thinking space for the vibrant fashion family. It is indeed a new decorative form that is both practical and beautiful.

Scope of application:

Widely used in airports, railway stations, subway stations, waiting halls, sports venues, offices, office buildings, restaurants, bars, supermarkets, shopping malls, restaurants, hotel halls and other places.





造型定制系统 Customization system

ART HOLLOW SERIES

艺术镂空系列

PRODUCT CHARACTERISTICS

◆产品特点

艺术镂空板凭着先进的生产技术，力求成为个性化和艺术化的新一代主流产品。环保无毒，完全防火；款式多样化，图案可根据风格定做，尽显个性化；表面立体感强；抗静电不吸尘且容易清洗等。且安装简单、易装易拆、维修方便。

适用范围：

广泛适用于飞机场、火车站、地铁站、候车大厅、运动场馆、办公室、写字楼、餐厅、酒吧、超市、商场、饭店、酒店大厅等场所内外墙。



With its advanced production technology, Art Hollow Board strives to become a new generation of mainstream products that are personalized and artistic. Environmentally friendly and non-toxic, completely fireproof; diversified styles, patterns can be customized according to style, fully personalized; strong three-dimensional surface; antistatic, non-dust-absorbing and easy to clean, etc. And the installation is simple, easy to install and disassemble, and easy to maintain.

Scope of application:

Widely used in the interior and exterior walls of airports, railway stations, subway stations, waiting halls, sports venues, offices, office buildings, restaurants, bars, supermarkets, shopping malls, restaurants, hotel halls and other places.



ALUMINUM

WINDOW FLOWER SERIES

铝窗花系列



PRODUCT CHARACTERISTICS

◆产品特点

铝窗花是由优质铝材和扁条制作而成的新型防盗网，起到窗户、阳台防护和防盗作用。因可以设计成类似于窗花的花纹，得名铝窗花。产品是采用高强度的优质铝材材质精制而成，产品设计新颖时尚、简约耐用。铝窗花又称之为港式窗花，是一种由香港引进大陆的新型防盗网，是传统铁制、不锈钢防盗网的升级产品。铝窗花全制程制作无需焊接，手工与机器相结合，可选颜色，安装简单。虽然铝窗花是一种流行的新型产品，部分城市依然处于真空状态，因此商业潜力很大。

适用于酒店、商场、商业建筑、行政楼房、超市等各种公共场所。

Aluminum window grilles are a new type of anti-theft net made of high-quality aluminum materials and flat bars, which play a role in protecting windows and balconies. Because it can be designed into a pattern similar to window grilles, Gu Ding named aluminum window grilles. The product is made of high-strength high-quality aluminum material, and the product design is novel, fashionable, simple and durable. Aluminum window grilles, also known as Hong Kong-style window grilles, are a new type of anti-theft net introduced from Hong Kong to the mainland, and an upgraded product of traditional iron and stainless steel anti-theft nets. The whole process of aluminum window grilles does not need welding, it is combined with the machine by hand, the color is optional, and the installation is simple. Although aluminum window grilles are a popular new product, some cities are still in a vacuum, so commercial potential is great.

It is suitable for various public places such as hotels, shopping malls, commercial buildings, administrative buildings, supermarkets and so on.



造型定制系统 Customization system

HYPERBOLIC

TWISTED SERIES

双曲板扭曲系列

PRODUCT CHARACTERISTICS

◆产品特点

双曲板重量轻、强度高、防水、防污、防火、抗蚀、加工性能好、维护费用低、使用寿命长。双曲板可订成弧形及异形，表面可喷涂成多种颜色，在墙面形成各种美丽的图案，并且可以和玻璃幕墙等组合成不同的外观形体，使建筑物更高贵典雅的风格。

适用范围：

适用于各种建筑内外墙、大堂门面、柱饰、高架走廊、人行天桥、电梯包边、阳台包边、广告指示牌、室内异形吊顶等的装饰。

Hyperbolic plates are light weight, high strength, waterproof, antifouling, fireproof, corrosion resistant, good processing performance, low maintenance costs and long service life. The hyperbolic plate can be customized into solitary and special shapes, the surface can be sprayed into a variety of colors, various beautiful patterns can be formed on the wall, and it can be combined with glass curtain walls to form different appearance shapes, making the building more elegant style.

Scope of application:

It is suitable for the decoration of interior and exterior walls, lobby facades, column decorations, elevated corridors, pedestrian bridges, elevator edging, balcony edging, advertising signs, indoor shaped ceilings, etc.



HYPERBOLIC


TWISTED SERIES



ANODIZING

PLATE SERIES

阳极氧化铝板系列



PRODUCT CHARACTERISTICS

◆产品特点

加工性好: 氧化铝板装饰性强, 硬度适中, 可轻易折弯成型, 进行连续性高速冲压, 方便直接加工成产品, 无需再进行复杂的表面处理, 大大减短产品生产周期和降低产品生产成本。

耐候性好: 标准厚度氧化膜的氧化铝板室内使用长期不变色, 不腐蚀, 不氧化, 不生锈。加厚氧化膜的氧化铝板可用于室外, 可长期暴露于太阳光线下不变色。

金属感强: 经阳极处理的铝板表面硬度高, 达宝石级, 抗刮性好, 表面无油漆覆盖, 保留铝板金属色泽, 突出现代金属感, 提高产品档次和附加值。

防火性高: 纯金属制品, 表面无油漆和任何化工物质, 600 度高温不燃烧, 不产生有毒气体, 符合消防环保要求。

抗污性强: 不留手印, 不会有污点痕迹, 容易清洗, 不产生腐蚀斑点。

适用性强: 用途广, 适用于金属铝天花板, 幕墙板, 铝塑面板, 防火板, 蜂窝铝板, 铝单板, 电器面板, 橱柜面板, 家具面板等。

Good processability: the alumina board has strong decoration, moderate hardness, can be easily bent and formed, and continuous high-speed stamping, which is convenient for direct processing into products without complicated surface treatment, which greatly shortens the production cycle and reduces production costs.

Good weather resistance: The aluminum oxide board with standard thickness oxide film will not change color for a long time indoor use, it will not corrode, oxidize and rust. The thick aluminum oxide aluminum oxide board can be used outdoors and will not change color under long-term exposure to sunlight.

Strong metal feeling: the anodized aluminum plate has high surface hardness, gemstone grade, good scratch resistance, no paint cover on the surface, retains the metal color of the aluminum plate, highlights the modern metal feeling, and improves product grade and added value.

High fire resistance: pure metal products, no paint or any chemical substances on the surface, no combustion at 600 degrees, no toxic gas, and meet the requirements of fire protection and environmental protection.

Strong stain resistance: no fingerprints, no stain marks, easy to clean, no corrosion spots.

Strong applicability: Wide application, suitable for metal aluminum ceiling, curtain wall panel, aluminum plastic panel, fireproof panel, honeycomb aluminum panel, aluminum veneer, electrical panel, cabinet panel, furniture panel, etc.



产品优点 product advantages



50 年不变色
50 years without discoloration

在生产流程中进行的电解着色, 膜厚达 20 μm, 50 年不变色, 与建筑同命。

The electrolytic coloring in the production process has a film thickness of 20 μm and does not change color in 50 years.



极易清洁
Extremely easy to clean

表面不带电荷, 不吸附灰尘, 氧化膜属于无机物, 耐腐蚀、拒霉变、抑菌、有很强的自洁功能。

The surface is non-charged and does not adsorb dust. The oxide film is an inorganic substance, which is resistant to corrosion, mildew, bacteria, and has a strong self-cleaning function.



色差小
Small color difference

同一批次的色差可控制在 0.6 以内, 不同批次的产品色差可控制在 1.0 以内, 目视无明显色差, 完全满足幕墙外观的要求。

The color difference of the same batch can be controlled within 0.6. The color difference of different batches of products can be controlled within 1.0, and there is no obvious color difference visually, which fully meets the requirements of curtain wall appearance.



装饰性强
Decorative

表面氧化膜是致密的薄的玻璃状膜, 保持铝板金属的光泽和质感, 高端大气, 极具现代气息, 提高了产品档次和附加值。

The surface oxide film is a dense, thin glass-like film that maintains the luster and texture of the aluminum plate metal. The high-end atmosphere has a modern atmosphere, which improves the product grade and added value.



9 级硬度
Grade 9 hardness

氧化膜主要成分为三氧化二铝, 表面硬度高, 达宝石级 (9 级硬度) 耐磨抗刮。


The main component of the oxide film is aluminum oxide, which has a high surface hardness and is abrasion-resistant and scratch-resistant with gem level (9-level hardness).



应用广泛
Wide range of applications

广泛应用于建筑装饰 (内墙、外墙)、家电、工业电子消费品、家具面板, 用途广, 加工使用方便。

It is widely used in building decoration (interior and exterior walls), home appliances, industrial electronic consumer goods, furniture panels, and has a wide range of uses and convenient processing and use.



造型定制系统 Customization system

COMPOSITE BOARD SERIES

复合板系列（蜂窝板）

PRODUCT CHARACTERISTICS

◆产品特点

高强度、长寿命：大理石与铝蜂窝板复合后，其抗弯、抗折、抗剪切的强度明显得到提高，大大降低了运输、安装、使用过程中的破损率。且保持了天然石材的主要性能指标，耐用年限长。

抗污染能力高：复合板因其底板更加坚硬致密，同时还有一层薄薄的胶层，可避免大理石表面可能出现的各种不同的变色和污渍。

隔音防潮、节能降耗：因其用等边六边型做成的中空铝蜂窝芯而拥有隔音、防潮、隔热、防寒的性能。在室内外安装后可较大降低电能和热能的消耗。


High strength, long life: The marble and aluminum honeycomb composite, the bending, shear strength improved significantly, greatly reduce the breakage rate of transportation, installation, and using. And keep the main performance indexes of natural stone, long life.

High anti pollution ability: Composite board because of the floor more hard and compact, at the same time, there is a thin layer of glue, can avoid all kinds of marble surface may appear different color and stains.

Insulation moisture, energy saving: With the equilateral six edge hollow aluminum honeycomb core, it has the function of sound, damp, heat and cold insulation. After the installation of indoor and outdoor, can greatly reduce the electric and thermal energy consumption.



STRUCTURAL DRAWING
结构图



COMPOSITE
BOARD SERIES



造型定制系统 Customization system

COMPOSITE BOARD SERIES

复合板系列（瓦楞板）

PRODUCT CHARACTERISTICS

◆产品特点

瓦楞板表层为 1.0~1.2mm 的铝板，背面为瓦楞状的钢板或铝质材料，采用环氧树脂粘结剂粘合，最大强度上保证铝板之间的粘结强度并均匀复合。

铝表面涂层：
采用氟碳树脂涂料，能够有效抵抗酸雨、空气污染及紫外光的侵蚀，具有使用时间长、吸附能力强、光泽度好、耐老化、不变色等特点。

表面平整：
可以作为大幅装饰面板而不变形，表面涂层均匀一致，易清洗；色彩丰富，隔音、隔热性能好，具绝佳的防火性能，达到防火 A 级。


适用范围：
被广泛应用于影剧院、音乐厅、展厅、体育馆等大型现代公共建筑中。


The surface of the corrugated plate is 1.0~1.2mm aluminum plate, and the back is corrugated steel plate or aluminum material. The epoxy resin adhesive is used for bonding. The maximum strength ensures the bonding strength between the aluminum plates and even composite.

Aluminum surface coating:
The fluorocarbon resin coating can effectively resist acid rain, air pollution and UV light erosion. It has the characteristics of long use time, strong adsorption capacity, good glossiness, aging resistance and no discoloration.

Smooth surface:
It can be used as a large decorative panel without deformation. The surface coating is uniform and easy to clean. It has rich colors, good sound insulation and heat insulation performance, and excellent fire performance, reaching class A fire protection.

Scope of application:
It is widely used in large modern public buildings such as movie theater, concert hall, exhibition hall and gymnasium.





造型定制系统 Customization system

COMPOSITE BOARD SERIES

复合板系列（复合贴木皮板）

复合板天然木饰面，是铝镁金属板按图纸加工成型，板面经过酸洗除油处理后，再经过三次工艺涂层后，采用环保胶水粘贴木皮在铝板上，再经过五次反复油漆打磨（三底两面）完成表面油漆处理，使表面木皮纹理清晰，美轮美奂。

产品优越、性能稳定、轻质、防火、防水、防震、防虫蚁、节能环保。

适用范围：
被广泛应用于影剧院、音乐厅、展厅、体育馆等大型现代公共建筑中。


The natural wood veneer of the composite board is an aluminum-magnesium metal plate processed according to the drawings. After the board surface is pickled and degreased, and then coated with three processes, the wood is adhered to the aluminum board with environmentally friendly glue, and then it is painted five times. Polishing (three bottoms and two sides) completes the surface paint treatment to make the surface veneer texture clear and beautiful.

The product is superior, stable performance, light weight, fireproof, waterproof, shockproof, insect proof, energy saving and environmental protection.

Scope of application:
It is widely used in large modern public buildings such as theaters, concert halls, exhibition halls, gymnasiums, etc.



STRUCTURE OF COMPOSITE BOARD
复合板结构图



SURFACE TREATMENT PROCESS

表面处理工艺

粉末喷涂 Powder Coating

粉末涂料是一种不含溶剂的保护性涂料，具有优良的耐紫外光，耐候性和耐腐蚀性。
室外使用更优良，该涂料广泛用于健身路径、建筑五金、交通车辆、农用机械、建筑门窗、园艺设备管道等。
其中单层喷涂工艺，经过清洁、前处理、电泳、清洗、烘烤炉、PVC 密封胶、密封胶烘烤、打磨、擦净、色粉、烘烤炉、检测 / 精修、局部修正、抛光的处理，才能达到最佳的保护效果。

Powder coating is a solvent-free protective coating, with excellent resistance to ultraviolet light, weather resistance and corrosion resistance.

Outdoor use is more excellent, the paint is widely used in fitness path, construction hardware, traffic vehicles, agricultural machinery, construction doors and windows, gardening equipment, such as pipeline.

The single-layer spraying process, after cleaning, pre-treatment, electrophoresis, cleaning, baking furnace, PVC sealant, sealant baking, grinding, wiping, toner, baking furnace, testing / repair, local correction, polishing Of the treatment, in order to achieve the best protection effect.



聚酯油漆喷涂板 Polyester paint spraying plate

滚涂板是铝板基材表面进行脱脂和化学处理后，滚涂优质涂料，干燥固化而成。滚涂板基材材质和覆膜板一样。通过高性能的滚涂加工工艺，能更有效的控制板材的精度、平整度，成功消除传统导致的凹凸和褶皱，令建筑装饰色彩均匀细腻、柔和亮丽。根据涂料和滚涂方法的不同，滚涂板品质上也有一定的差别。

Roller plate is the surface of aluminum substrate for degreasing and chemical treatment, the roller coated high-quality paint, dry curing from. Roller plate substrate material and the same film. Through the high-performance roller coating process, can more effectively control the accuracy of the plate, flatness, the successful elimination of the traditional led to the bumps and wrinkles, so that the building decoration color uniform and delicate, soft and beautiful. According to the different coating and roller coating method, roller plate quality also has some differences.



氟碳喷涂 Fluorocarbon coating

氟碳漆适用于金属、木材、塑料、装饰板材、标志性建筑等的罩面装饰保护，以及建筑外墙仿金属幕墙的罩面。一般要经过前处理流程和氟碳喷涂流程，其中前处理流程就是要经过多次的清洗、化学处理以便增加涂层和金属表面结合力和防氧化能力，利于延长漆膜的使用年限。而氟碳喷涂流程则要经过三次喷涂（简称三喷：喷底面漆、面漆及罩光漆）和二次喷涂（底漆、面漆）的工序。

Fluorocarbon paint for metal, wood, plastic, decorative plates, landmarks, such as the cover decoration protection, and the building wall imitation metal curtain wall cover. Generally through the pre-treatment process and fluorocarbon spraying process, in which the pre-treatment process is to go through a number of cleaning, chemical treatment in order to increase the coating and metal surface adhesion and oxidation resistance, conducive to extend the service life of the film. The fluorocarbon coating process will have to go through three spraying (referred to as three spray, spray the bottom of the paint, finish and varnish) and the second spray (primer, finish) process.



木纹热转印铝板 Wood grain thermal transfer plate

在铝板或铝型材表面进行氟碳喷涂的基础上采用意大利木纹膜，经抽真空处理，将木纹膜移印到铝板的氟碳涂层上的一种高档金属装饰材料。采用国际先进新型图纹装饰材料，图案高档华丽、色泽纹理逼真、圈纹牢固耐磨，不含甲醛、无毒、无有害气体释放，无须为装饰后油漆和胶类物质带来的异味及身体伤害而担忧，品质卓越，是高档建筑装饰的首选材料。

In the aluminum or aluminum surface on the basis of fluorocarbon spray on the basis of the Italian wood film, the vacuum treatment, the wood film to the aluminum plate fluorocarbon coating on a high-grade metal decorative materials. The use of international advanced new pattern decorative materials, high-grade gorgeous pattern, color texture realistic, strong pattern wear, no formaldehyde, non-toxic, no harmful gas release, no need for decorative paint and glue after the odor and body hurt and worry, excellent quality, is the first choice for high-grade building decoration materials.



4D 木纹转印喷涂 4D wood grain transfer spray

4D 木纹铝型材及金属仿木纹板材加工从根本上实现了通过技术使铝型材及金属板材表面生产实质性的凹凸手感，延续了以往优质木纹金属产品所具有的不粉化、不褪色、抗摩擦、抗冲击、超耐候等性能，整体的原生态实木视觉冲击具有的立体感、色彩丰富、纹理多样、超耐候性等一系列卓越的性能，并且从工艺上实现了质的突破，使型材实体产生了如树木年轮般的木纹纹理效果。

4D wood grain aluminum and metal imitation wood plate processing from the fundamental realization of the technology through the aluminum and metal sheet surface production of the actual convex feel, the continuation of the previous high-quality grain metal products with the non-powder, do not fade, Anti-friction, impact resistance, super weather resistance and other properties, the overall ecological impact of the original solid wood has a three-dimensional, rich colors, texture and diverse, super-weatherability and a series of excellent performance, and from the process to achieve a qualitative breakthrough, So that the profile of the entity produced a tree-like wood grain texture effect.



大理石纹转印喷涂 Marble pattern transfer spray

在铝板表面上喷上各种各样颜色的氟碳漆（或聚酯漆），经高温烘烤、固化处理，喷涂铝合金型材具有优良的耐蚀性和耐候性，坚固耐用，外观装饰好，生产工艺比阳极氧化简单，环保安全等特点，在建筑、装潢、运输等行业得到广泛应用。

铝合金型材在喷涂前处理中必须进行化学清洗和浸蚀，清除其表面粘附的油脂、自然氧化膜和灰尘等污染物，使铝合金基体裸露出来，形成均匀的活化表面，这是保证铬酸盐转化膜质量和喷涂质量的关键。

(Or polyester paint) on the surface of aluminum plate, high temperature baking, curing, spray aluminum alloy profiles with excellent corrosion resistance and weather resistance, durable, the appearance of good decoration, The production process than the anodic oxidation is simple, environmental safety and other characteristics, in the construction, decoration, transportation and other industries are widely used.

Aluminum alloy profiles must be chemically cleaned and etched before spraying to remove contaminants such as grease, natural oxide film and dust on the surface, so that the aluminum alloy matrix is exposed to form a uniform activation surface, which ensures that the chromium Acid salt conversion film quality and spray quality of the key.



VISUAL APPRECIATION

ARCHITECTURAL ART



VISUAL APPRECIATION

ARCHITECTURAL ART

VISUAL APPRECIATION

ARCHITECTURAL ART



经过多年所累积的视觉经验，人类逐渐意识到，不同的视觉要素带给人的反应会不相同；同时也体认到，不同的艺术家会用不同的方式，来完成他们的作品。因此，观赏者在面对一件艺术作品时，必须留意这件作品在视觉表现方面上所传达出来的意义。

After many years of accumulated visual experience, mankind has come to realize that different visual elements will not respond the same way, and that different artists will use different ways to accomplish their work. Therefore, the viewer in the face of a work of art, we must pay attention to this work in the visual performance of the meaning of the conveyed.




VISUAL APPRECIATION

ARCHITECTURAL ART

建筑艺术与工艺美术一样，也是一种实用性 with 审美性相结合的艺术。建筑的本质是人类建造以供居住和活动的场所，所以，实用性是建筑的首要功能；只是随着人类实践的发展，物质技术的进步，建筑越来越具有审美价值。

Architectural art and craft art, but also a practical and aesthetic combination of art. The essence of architecture is the place where mankind is built for living and living. Therefore, practicality is the primary function of architecture. Only with the development of human practice and the progress of material technology, architecture is more and more aesthetic.



FOSHAN HK BUILDING MATERIAL COMPANY

Mobile:0086 15918090620

Tel: 0757-28821990

Email: cocoqiu1987@126.com

Whatsapp:+86 15918090620

Wechat:+86 15918090620

Website:www.hkbuildingmaterial.com